


# WHITE LINE

EQUIPMENT COMPANY



[www.whitelineequipment.com](http://www.whitelineequipment.com)



Distributed by:

1413 South Meridian Road  
Jasper, IN 47546  
877.717.2892 phone  
812.634.6308 fax

# Index

Anchor Plugs .....	8	Fencing		Scorer's Table.....	27
Athletic Field Marking		Fence-Tote .....	22	Screens	
Compound.....	7, 11, 25	Pilot Hole Tool .....	23	Osborne Screens .....	34-41
Ball Bins		Post Driver .....	23	Adjustable Strike Zone Isolator .....	35
OIP Back Saver Ball Bin.....	47	Fence Packages .....	23	Head Saver .....	35
OIP Bucket Buddy .....	47	White Line Portable Fence System.....	23	Hip Saver Triangle Attachment.....	35
OIP Deluxe Back Saver Ball Caddy ...	47	Field Conditioners.....	12	OIP Flip-Top "L" Pitcher's Screens .....	36
Bases		Field Float.....	14	OIP Full Frame Big-Sock Screen .....	40
All Rubber Double 1st Base .....	8	Finishing Mops .....	15	OIP "Original" Porta EZ Sock Screen.....	39
Compression Style Safety Base.....	8	Flexible Field & Turf Conditioner .....	14	OIP "Original" Porta Screens.....	39
Pro Hollywood-Style Bases .....	8	Handozer Complete Unit .....	14	OIP Porta Front Toss "L" Screens .....	38
Rubber Throw Down Base .....	9	Heavy-Duty Foul Poles.....	22	OIP Porta Front Toss Protective	
Spike-Down Bases.....	8	Heavy-Duty Rubber Backstop Matting .	22	& Softball Screens.....	38
Strike-Zone Extension.....	9	Home Plate Mats .....	30	OIP Protective Screens .....	41
Waffle Throw Down Base .....	9	Home Plate & Mound Blocks &		OIP Softball Pitching Screen	
Base Ground Anchors .....	8	Repair Kit.....	25	w/ Side Cutout.....	37
Batter's Box Mats .....	30	Home Plates		OIP Total Protection Screen .....	37
Batter's Box Templates.....	11	Economy 5-Spike Removable		OIP Tri-Fold Protective Screen.....	41
Batting Cage Turf.....	31	Home Plate .....	9	OIP Versa "L" Pitcher's Screens.....	36
Batting Practice Mats.....	30	In-Ground Home Plates .....	9	"Original Equipment" Net	
Batting Tunnel & Netting Accessories		Infield Clays.....	24	Replacement Kits .....	35
Basic Series Batting Tunnels .....	32	Infield Covers.....	20	Porta Screen Deluxe Tote Bag .....	35
Batting Tunnel Backdrop .....	33	Leveling Bar.....	13	Original OIP Porta-Sock Screens.....	40
Batting Tunnel		Loop/2-Way Hoe.....	15	Transport Wheel Kits .....	35
Netting Installation Kits.....	33	Machine Feeder Screen .....	35	Universal Port Hole Cover.....	35
Collegiate Series Batting Tunnels .....	32	Measuring Devices		Pro-Gold II	
Netting Backdrops & Cage Dividers...	33	Measuring Wheel .....	10	Mini L-Shaped Screen.....	42
Netting Repair & Lacing Kits .....	33	Standard-Duty Tape Measures.....	10	Pitcher's L-Shaped Screen.....	42
Pro Series Batting Tunnels .....	32	String Winder .....	10	Softball Screen w/ Cutout.....	43
Super Series Batting Tunnels.....	32	Super-Duty Tape Measures.....	10	Square Screen .....	43
Tunnel Frames .....	33	Mound Clay .....	24	Square Screen w/ Sock.....	43
Varsity Series Batting Tunnels.....	32	On-Deck Circles .....	30	Tri-Fold Protective Screen.....	43
Benches		"Original" Fence Guard.....	21	Pro-Gold II Guardian Series	
Deluxe Aluminum Picnic Tables .....	27	Osborne Screens.....	34-41	Extension Arm Kit .....	44
Locker Room, Sideline, &		Head Saver.....	35	Mini L-Shaped Screen.....	44
Dugout Benches.....	27	Paint		Pitcher's L-Shaped Screen.....	44
Player Bench with Shelf .....	27	Athletic Paint .....	4	Pro-Gold Aluminum Series	
Bermuda Series Turf.....	31	Perma-Line Turf Paints .....	4	Giant Square Screen .....	45
Big League Base Plugs .....	8	White Line Aerosol Paint .....	4	Mini-L-Shaped Screen.....	45
Big League Mound Builder .....	10	Paint Stripers		Pitcher's L-Shaped Screen.....	45
Big League Stadium Water Hose Cart .	18	Wand Marking Tool.....	4	Square Screen .....	45
Bleachers		White Line Stripers.....	4	Sports Turf By The Roll .....	31
Bleachers w/o Guard Rail System .....	28	Picnic Tables.....	27	Standard Digout Tool .....	8
Deluxe Bleachers .....	28	Pilot Hole Tool.....	23	Steel Spike .....	8
Tip N' Roll Bleachers.....	29	Pro Gold Rebounder.....	46	Stencils	
Transportable Bleachers .....	29	Pro-Gold Pitching Mat .....	31	2 Piece Arrow Set.....	5
Brooms		Pitching Rubbers		3 Piece Arrow Set.....	5
Double Play Finishing Broom.....	16	3-Spike Pitching Rubbers.....	9	A-Z Alphabet & 0-9 Number Sets.....	5
Professional Drag Brooms .....	16	4-Way Pitching Rubbers.....	9	D.O.T. Handicap Stencil .....	5
Bullpen Mat.....	30	Moveable Pitching Rubbers.....	9	Stencil Kits .....	5
Clay Track Surfacers.....	24	Poly-Cap & Installer.....	21	Traffic Control Stencils .....	5
Diamond Clay Conditioner.....	24	Post Driver .....	23	String Winder.....	10
Diamond Dry.....	25	Premium Heavy-Duty		Target Amendment Program.....	24
Diamond White Plus .....	7, 11, 25	Double Wall Tarp Rollers .....	20	Tees	
Dozer Digout Tool .....	8	Premium Roller Storage Covers.....	20	Heavy-Duty Rubber Batting Tee.....	47
Drags		Pro Edger & Sod Cutter.....	15	OIP Bucket Tee .....	47
Big League Nail Drags .....	12	Professional Drag Brooms.....	16	OIP Poly Tough Tees.....	47
Cocoa Mat Drags .....	13	Pro HD Batter's Box Templates .....	11	Toolite Scoop & Sifting Shovels.....	15
Steel Mesh Drags.....	13	Pro Mound .....	26	Washington Ball Mix .....	24
Dry Line Markers		Pro's Choice Conditioner.....	26	Water Hoses/Nozzles/Accessories	
All Star.....	6	Pro's Choice Infield Guards .....	26	Big League Clear Stadium Hose .....	18
Dasher Pro.....	6	Pro's Choice Rapid Dry .....	26	Brass Impact Sprinkler Head .....	19
Heavy Hitter .....	6	Pro Series Dirt Tamps.....	15	Contractor Grade Water Hose Cart....	19
Little Tuffy .....	6	Puddle Pillow.....	17	Cyclone Precision Nozzle .....	19
"Original" White Line Markers .....	6	Pure Line .....	7, 11, 25	High-Impact Fire Nozzles .....	19
Erie Ball Mix.....	24	Rakes		High-Vis Red Heavy-Duty Hose .....	18
E-Z Batter's Box Chalker.....	11	Base Runner Telescopic Rake .....	16	Hot Shot Pro Nozzle.....	19
Fence Cap Ties .....	21	Double Play Grooming Rake.....	16	Magnum Nozzle .....	19
		Field Rakes .....	16	Professional Groundskeeper Kit .....	18
		Level Head Rake.....	16	RollerPro Portable Sprinkler Base .....	19
		Pro-Lute .....	16	Water Removal	
		Scarifier/Lute .....	16	Diamond Pump .....	17
		Screening Rake .....	16	Puddle Pillow.....	17
		Safe-T-Fence Packages .....	23	Quick Pump.....	17
		Safety Top Cap.....	22	Straight Bladed Squeegee .....	17
		Sand Comb.....	15		

# White Line Equipment Company

At White Line Equipment Company our customers are our business. We work hard to exceed your expectations of quality products and outstanding service. Our knowledgeable sales team is always ready to answer your questions or help you with an order.

We strive to bring you some of the most innovative products on the market so you can meet the needs of your customers. You can count on us to keep up with the changes, roll with the punches, and always provide the very best customer service we can. We offer a 100% customer satisfaction guarantee. If you are not satisfied with your purchase, just pick up the phone and give us a call. We'll resolve the problem for you as quickly and easily as possible.

We'd also like to take this opportunity to thank our loyal customers. Without you we just wouldn't be the same. Thank you for being part of our family, we truly appreciate all of you.

## Returns & Damage/Shortage Claims

**Returns:** Returns must be made within 90 days. We require prior authorization for all returns. Returned items and all corresponding parts must be received in new & unused condition. A restocking fee of up to 20% will apply for items that have been used. Call for an RA number. Any return received without an RA number will not be accepted.

**Damage/Shortage:** All freight must be inspected for damage or shortage immediately upon delivery. If damage or shortage occurs, circumstances must be noted on the bill of lading. This is necessary so that proper damage claims can be made. Hidden damage must be reported directly to the carrier within 5 days of delivery date. Failure to do so will forfeit any claims for damage with White Line Equipment Company.

# New Colors Available!

Maroon, Navy, Purple,  
Vegas Gold & Old Gold!



Average Use For Aerosol Paint		
Football	12 Cans	4" Line
Baseball	3 Cans	3" Line
Soccer	6 Cans	4" Line

Get up to 360' of 4" wide line per can!



## A White Line Aerosol Paint

Specially formulated to produce bright, durable lines. The high solids content provides excellent coverage, creating brighter whites and vivid colors that really stand out. The extremely durable, water-resistant formula will not wash away in the rain. Non-clogging design allows the paint to completely empty, minimizing waste. High output tips (*not universal*) provide a brighter and whiter line. Available in both athletic and traffic/parking lot formulas. Athletic paints are completely safe for players and will not harm grass. Aerosol paint cannot be shipped express air freight. Low VOC's, low toxicity, no fluorocarbons, and lead free. (12) 20 oz. cans per case (18 oz. net weight/can).

### Athletic Paint

**White**  
#01033WH / 19 lbs.

**Colors**  
Available in hot orange, yellow, royal blue, red, turf green, light blue, Vegas gold, old gold, and black.  
#01047(?) / 19 lbs.

**Premium Colors**  
Available in maroon, navy, and purple.  
#01047(?) / 19 lbs.

### Traffic Paint

Available in white, yellow, red, dark handicap blue, light handicap blue, and black.

**White**  
#03020WH / 19 lbs.

**Colors**  
#01047(?) / 19 lbs.

## B White Line Stripers

One of the most versatile and durable aerosol paint strippers in the industry. Featuring a universal spray tip activator that works with nearly every brand of paint, including Fox Valley. The heavy-duty construction boasts a durable all metal body, a folding handle for storage and transport, rubber tread tires, and a bottom wind block to prevent over spray. The spray width is fully adjustable and stripes a 2" to 4" line. For operator convenience we also have a built-in case storage tray for easy access. Available in an athletic version with 10" wheels and a traffic/parking lot version with 7" wheels.

**Athletic 10" Wheel - #01037WL / 20 lbs.**

**Traffic 7" Wheel - #03040WL / 18 lbs.**

## C Wand Marking Tool

A real backsaver! Great for stencils, circles, and words. Includes a detachable guide wheel and measures 34" overall length.  
#04339WL / 2 lbs.

## D Perma-Line Turf Paints

Proprietary formulas feature high solids and titanium-oxide to produce extremely bright, water-resistant, and durable lines. No need to stripe every game! Designed for sports turf applications. Completely safe for grass, players, and uniforms. Easy to apply. Cleans up quickly and is dry to the touch in only 30 minutes. The high solids provide great coverage. May be thinned with water as much as 3:1. (Depending on dilution; 5 gallons of Perma-Line paint will stripe a football field.) Sold by 5 gallon buckets. Special school colors available! Orders of 50 gallons or over receive FREE FREIGHT!

### White Line Perma-Line

Our standard formula. Great for any sports field application.

**White 5 Gallon Bucket - #01313**

**Colors 5 Gallon Bucket - #01305**

### White Line Perma-Line Supreme

Increased solids and titanium-oxide provide the whitest, brightest, and most durable lines. Available in white only.

**White 5 Gallon Bucket - #01308**



### Stencil Kits

The most durable stencils available! Industrial grade polyethylene will not break, warp, or crease. Available in two grades of durability: Premium - 1/8" thick for extra high use, and Standard - 1/16" thick for normal applications. Flexible design means excess paint cannot build up. Simply roll it up for storage and the paint flakes off. All stencils are precision machine cut for crisp and accurate lines.

Kit	3 1/2" T x 30" W	6" T x 42" W
Football Kit - Premium 1/8"	#02956 / 50 lbs.	#02330 / 119 lbs.
Football Kit - Standard 1/16"	#02960 / 25 lbs.	#02959 / 60 lbs.
Letter or Number - Premium 1/8"	#02958 / 7 lbs.	#02957 / 15 lbs.
Letter or Number - Standard 1/16"	#02962 / 4 lbs.	#02961 / 8 lbs.

Premium kit features a 5-year limited warranty. Standard kit features a 3-year limited warranty.

### Hash Mark Stencil

Premium grade 1/8" thick. Features (4) 4"x18" hash mark cutouts. Easy to use design! Simply position the end cutouts with the 5-yard lines for placement.

#02332 / 25 lbs.



### Parking Lot Stencils

All stencils are constructed from our standard 1/16" thick material, (1/8" thick available upon special request). We carry many other designs! If you do not see the stencil you need, call for availability.



### D.O.T. Handicap Stencil

2-piece kit includes: (1) 30" tall handicap symbol with a 44" sq. border (3" wide bar) and (1) 42" sq. blue background stencil.

#03032 / 15 lbs.



### Traffic Control Stencils

Letters are 12". Other sizes available.

**No Parking** - #02966NP / 9 lbs.

**Fire Lane** - #02966FL / 9 lbs.

**Visitor** - #02966VIS / 9 lbs.

**Reserved** - #02966RES / 9 lbs.



### A-Z Alphabet & 0-9 Number Sets

All sets include 2 blanks. Other sizes are available upon special request, please call.

	Alpha	# Set
6"	#03034 / 7 lbs.	#03035 / 5 lbs.
8"	#03036 / 8 lbs.	#03037 / 6 lbs.
12"	#03038 / 10 lbs.	#03039 / 8 lbs.



### Large Handicap Stencil

(39" T x 34" W x 4" Bar)

#02964 / 15 lbs.

**RESERVED**



### 3 Piece Arrow Set

Includes: head (42"H x 36"W), straight tail and curved tail (42" x 21").

#03033 / 15 lbs.



### 2 Piece Arrow Set

Includes: (1) straight and (1) curved arrow (42" overall length, 20"W head, 12"W tail).

#02965 / 15 lbs.



## “Original” White Line Markers

The family of White Line Markers have maintained the same institutional strength and quality you have come to expect; which makes them more accurate and easier to use than ever. Don't be confused by low-quality, imported imitations. With over 30 years of line-marking experience, we have produced the most durable, advanced, and user-friendly line of markers available! Compare the features and see why the “Original” White Line Markers are considered the best! Used extensively by professional teams, universities, schools, park & recreation departments, and leagues worldwide. Regardless of the sport, you are sure to find a liner to meet your needs! Features an 18-month limited warranty.

### A All Star

The All Star is our #1 selling liner since its introduction. The All Star includes an extra-large capacity hopper, and an extremely durable construction that makes this a winner for any program. Advanced features include:

- Extra large 100 lb. capacity
- Telescopic, height-adjustable handle
- 10" diameter pneumatic wheels
- Cast aluminum axle housing and paddle wheel feeder
- “Sweet Spot” flow control system with dial
- Advanced, spring loaded 2nd stage shaker/agitator

#03953 / 59 lbs.

### B Heavy Hitter

We have included all the same All Star features but with a smaller hopper capacity! Advanced features include:

- Large 60 lb. capacity
- Telescopic, height-adjustable handle
- 10" diameter pneumatic wheels
- Cast aluminum axle housing and paddle wheel feeder
- “Sweet spot” flow control system with dial
- Advanced, spring-loaded 2nd stage shaker/agitator

#03954 / 46 lbs.

### C Little Tuff

The most durable 2-wheel liner available! Includes all the same features as our 4-wheel models. The easy-to-maneuver design is great for batter's boxes and softball circles, yet large enough to line an entire field. Features include:

- Large 60 lb. capacity
- Telescopic, height-adjustable handle
- 10" diameter pneumatic wheels
- Cast aluminum axle housing and paddle wheel feeder
- “Sweet Spot” flow control system with dial
- Advanced spring-loaded 2nd stage shaker/agitator

#03955 / 35 lbs.

### D Dasher Pro

Dispenses both a 2" and 4" wide line with instant shut-off. A highly portable and maneuverable unit, great for batter's boxes, softball circles, and spot touch-ups, yet large enough to handle any job. Features include:

- 25 lb. capacity
- Hinged lid keeps moisture out
- 10" diameter pneumatic wheels
- Cast aluminum, nine fin paddle wheel feeder
- Push button handle knocks down for compact transport and storage

#03956 / 16 lbs.



### “Sweet Spot” Flow Control System

All models (except the Dasher Pro) feature exclusive, patent-pending, Flow Control System, which incorporates a main control lever with the unique “Sweet Spot” flow dial. This provides infinite adjustment over the amount of lining material being dispensed. Achieve complete control! Adjust from a thin dusting to a thick heavy line regardless of the brand, type of material, or humidity outside! The two stage system includes an easy-to-reach fingertip control lever featuring three-position settings to change between off, 2", and 4" lines without bending over. The patent-pending “Sweet Spot” flow dial rotates to either increase or restrict the size of the bottom opening. “Dial” in the perfect line! When you're finished lining, simply move the control lever to the off position and your preferred flow rate is saved for the next use.



### Pneumatic Wheels

All models now feature 10" dia. x 4" wide industrial grade pneumatic wheels with steel rims and oilite bearings. These new wheels provide maximum traction in wet and uneven terrain, while minimizing rolling resistance.



### Guide Line

All models feature a convenient guide line on the lid to help create a straight line.



### 2nd Stage Shaker/Agitator

All models (except the Dasher Pro) feature the exclusive patent-pending, spring-loaded, 2nd stage shaker/agitator, which vibrates the housing. This provides improved material flow and minimizes air cavities and material-caking due to moisture.



### Height-Adjustable Handles

All models (except the Dasher Pro) feature a telescopic height-adjustable handle for maximum user comfort. Three position settings adjust from 37", 39" and 41" operating heights.



### Aluminum Axle Housing

All models (except the Dasher Pro) feature a heavy-duty cast aluminum axle housing, making these markers the most durable on the market. Every hopper is constructed from galvanized steel to prevent rust and corrosion.



### Aluminum Paddle Wheel

All models feature an extremely durable cast aluminum paddle wheel feeder with nine fins (many liners have only four or five fins). The high fin count produces a more uniform and continuous stream of chalk.



**A** PRO-STRIPE  
HD-100



**B** PRO-STRIPE  
HD-50



**C** PRO-STRIPE  
HD-25



**D**



Does not work with Pro-Stripe markers.



## Pro-Stripe Heavy-Duty Markers

These high quality dry line markers are available in three models to meet any budget. Perfect for leagues, schools, and parks. Unlike many other imported markers that feature plastic rimmed wheels, augers and components, Pro-Stripe Markers are made exclusively from steel! The durable construction is built to last, providing years of trouble-free performance. All three models include these quality features:

- Upgraded structural steel creating a more rugged body
- Deluxe heavy wall tubing
- "Handlebar" style handles
- Premium 10" dia. x 4" wide pneumatic wheels with steel rims and axle bushings
- Finger tip controls that adjust between off, 2", and 4" so you never have to bend over
- Rubber handle grips to provide extra comfort
- High quality electrostatically powder-coated finish to prevent rust
- Dual direct drive front wheels to keep the auger turning smoothly
- Hinged lids to keep the material dry
- Features an 18-month limited warranty

**A Model HD-100** (4-wheel, 100 lb. capacity)  
#04601 / 68 lbs.

**B Model HD-50** (4-wheel, 50 lb. capacity)  
#04602 / 60 lbs.

**C Model HD-25** (2-wheel, 25 lb. capacity)  
#04603 / 20 lbs.

## D E-Z Fastpitch Circle Template

The quickest and most accurate device ever created to mark a fastpitch softball pitcher's circle. Engineered to be mistake-proof and easy to use. Marks the circle at exactly 16' every time in seconds. A time and labor saving tool that pays for itself quickly. The secret is the specially-designed pitching rubber mount which secures the non-stretch aircraft cable. Two options available. Each set includes a marking rod to scribe the circle on the infield. When you are finished, simply use your existing marker to chalk the circle, or purchase the Pro E-Z Dasher Set which includes a 25 pound capacity Dasher Pro so you can chalk the circle as you go. Note: The Dasher Pro includes an axle hard point for cable attachment and conveniently secures the pitching rubber mount and cable for storage and transport. (Note: cable can be removed allowing the Dasher to operate independently for marking base lines). Pitching rubber mount fits official 6" x 24" rubbers only. 18-month limited warranty. Patent pending.

**Basic E-Z Circle Set**  
#03026 / 3 lbs.

**Pro E-Z Dasher Set**  
#03041K / 24 lbs.



## E Athletic Field Marking Compound

We carry 2 grades of brightness to meet every budget and need! Both grades of compound are made from the highest quality calcium carbonate (marble dust). Completely safe to players, uniforms, equipment, and turf. Conforms to all "safe-use" requirements of the consumer safety act, NCAA & NFHS official rules and all known Little League rules for athletic marking materials. Rule of Thumb: A 50 lb. bag of chalk will stripe approximately 300'L x 2"W x 1/16"D.

### Pure Line

Standard white compound. Excellent customer satisfaction. Budget-priced quality material.  
#01520 - Sixty-50 lb. bags per skid

### Diamond White Plus

Our Diamond White Plus field marker is whiter and brighter than any other material we have ever seen! We believe this to be the whitest compound available! Even visible on crushed limestone infields.  
#01521 - Sixty-50 lb. bags per skid



**A Pro Hollywood-Style Bases**  
This professional base is designed with the same quality and features as the Hollywood Jack Corbett base. Features a triple reinforced nickel plated steel pan, UV protected tough rubber cover, and a bonded foam core. The reinforced side walls won't collapse even with extreme use. Official 15" x 15" x 3" size. Set includes (3) bases & (3) 1½" ground anchors. #01200 / 35 lbs.

**B Compression Style Safety Base**  
Minimizes the chance of injury by absorbing the impact of a slide. All rubber UV protected construction offers vertical stability while a player stands on it, but is horizontally flexible for sliding protection. Center stanchion is constructed of rigid rubber and can be removed, allowing the base to be used indoors for practice. No metal to rust. Set includes (3) bases and (3) 1½" anchors. Durable firm rubber. Base measures 15" x 15" x 3". Great for indoors! #01210 / 49 lbs.

**C All Rubber Double 1st Base**  
Official size one piece molded all rubber construction. Reduces chance of collision at 1st base. Center stanchions are constructed of rigid rubber and can be removed. Uses a double anchor system. Includes (2) 1½" anchors. A great base at an excellent price! Measures 15" x 30" x 2". #01765 / 25 lbs.

**D Spike-Down Bases**  
A safe base for both indoor and outdoor use. Constructed from a quilted and reinforced vinyl-coated nylon shell with a bonded foam filler. Features reinforced strap tabs and adjustable nylon web straps.  
**Youth Size Base Set - 14" x 14" x 2"**  
#01673 / 10 lbs.  
**Official Size Base Set - 15" x 15" x 3"**  
#01196 / 11 lbs.  
**Double 1st Base - 15" x 30" x 3"**  
#03623 / 7 lbs.

**E Steel Spike**  
For strap-down bases, tarps, or string winders. Measures 10" long. #01140 / 1 lb.

**F Standard Digout Tool**  
Our basic digout tool for the budget conscious. Effectively cleans dirt from ground anchors. #01045 / 1 lb.

**G Dozer Digout Tool**  
Built to last. Never buy another digout tool again! The extra heavy-duty steel construction will not bend or break. Features a rust-proof powder-coated finish and cushioned grip. Quickly cleans dirt from your ground anchors. #01975 / 1 lb.

**H Anchor Plugs**  
Fits both male and female anchors. Highest quality, heavy-duty rubber construction. #01205 / 1 lb.

**I Big League Base Plugs**  
Bristle design eliminates searching for base anchor. Fits 1½" female anchors only. #02171 / 1 lb.

**J Base Ground Anchors**  
Zinc plated heavy-gauge steel.  
**1½" Female Hollywood Style**  
#01317 / 2 lbs.  
**1" Male Bolco Style**  
#01470 / 1 lb.



**Base Transport Cart**  
Takes the hassle out of transporting and setting your bases. This cart is the perfect place to store your bases, helps extend their life, and makes cleaning/painting a breeze. Features heavy-duty galvanized steel construction with 10" dia. x 4" pneumatic turf-style tires. Universal design holds both 1" male and 1½" female style bases. Includes a convenient digout tool holder and a free digout tool. #03699 / 22 lbs.





**A Side Hitting Rubbers**

High quality thick rubber construction with three removable spikes.  
**Official** 5 lbs.  
**outh**

**B 4-Way Pitching Rubbers**


Extremely durable and economical sided design allows you to rotate the rubber when a side is worn.  
**Standard (Interior PVC Tube)**  
**Official** 22 lbs.  
**outh** 9 lbs.

**C Steadfast Hitting Rubbers**

Available with a wood block backing. In ground design with front extension reduces wear holes.  
**Standard w/ Wood Block Backing**  
**Official** 20 lbs.  
**outh** 9 lbs.

**D Dual Spike Pitching Rubber**

Secures with stakes that go through steel plates embedded in rubber. Spikes won't tear out like the standard spike pitching rubbers.  
**Official** 5 lbs.  
**outh**



**Moveable Pitching Rubbers**

Eliminates the need for multiple pitching rubbers installed on the field. Allows you to remove the rubber to prevent theft and vandalism and to avoid damage while grooming. NOTE: Official size is 12" x 20". Youth size is 10" x 16".

**I Double Stanchion**

Premium construction features a fully welded support structure for excellent durability. Includes one double anchor. Additional anchors available for multiple distances.  
**Official** 1 lbs.  
**outh** 1 lbs.

**Double Ground Anchor**

Takes the hassle out of setting your anchors correctly. The official size also fits all double 1st bases.  
**Official** 9 lbs.  
**outh** lbs.

**G ORIGINAL "Cleat Cleaner"**

Used extensively by Major League Baseball and at nearly every upper level since 1970. Rugged all rubber construction will remove mud cleats quickly providing better traction, improve maneuverability, and decrease injury. Install on the mound, outside the locker room, the team bench area, or in the dugout. Can be mounted to treated lumber, buried in the ground for permanent installation or thrown down for temporary use. Measures 12" x 12" with spikes for cleaning.  
**Official** 1 lbs.

**H Economy 5-Spike Removable Home Plate**

Regulation size with beveled edges. Heavy duty 1" thick rubber construction with five removable spikes.  
**Official** 1 lbs.

**I In-Ground Home Plates**

Unlike pike down plates fail in a short period of time wasting time and money. In ground style plates are designed to bury into the ground, greatly improving durability and longevity. The home plates are 1" thick and offer the highest level of sliding safety. No edges to catch on spikes that cause injury.

**All Rubber**

Heavy duty resistant all rubber construction with waffle bottom.  
**Official** 25 lbs.

**Wood Backed**

Heavy duty rubber cover with a wood backing. Special high density padded interior makes a softer home plate surface.  
**Official** 15 lbs.

**Waffle Throw Down Base**

Suction style waffle bottom prevents sliding on hard surfaces. Great for indoors or out.  
**Official** 1 lbs.

**Set of Three Bases**

1 lbs.

**1" Throw Down Home Plate**

5 lbs.

**Rubber Throw Down Bases**

Heavy gauge all rubber construction, great for indoors or the back yard. Set of 5 bases, 1 home plate, and 1 pitching rubber. Orange only.  
**Official** 5 lbs.

**L Striker Extension**

Makes strike zone more visible in slowpitch softball. Home plate not included.  
**White** 1 lbs.  
**Orange** 1 lbs.



### A Big League Mound Builder

Invented by a Major League groundskeeper to make sure crews constructed and maintained the mound correctly. Once set in place, the mound builder completely eliminates the guess work, hassle, and constant measuring during mound construction and maintenance. The simple and easy to use design forces you to get it correct every time. The main section establishes the correct one inch per foot slope, pitching rubber position, plateau length, and radius points for the mound and infield turf edge. The sliding crossbar establishes the proper landing area and plateau width, and helps to "shave" and fill, ensuring a safe and level surface. Includes a magnetic bubble level to ensure a level pitching rubber and plateau. Constructed of durable 1½" square galvanized steel tubing. Detailed instructions included! 3-piece construction knocks down for storage. Consult your league's regulations for current mound specs.

#### Pro Model

Produces an 18' dia. mound, 10"H at the rubber, with a 34" x 60" flat plateau, and a 60"W landing area.

#04870 / 22 lbs.

#### Intermediate Model

Produces a 12' dia. mound, 8"H at the rubber, with a 30" x 48" flat plateau, and a 48"W landing area.

#04871 / 38 lbs.

#### Youth Model

Produces a 10' dia. mound, 6"H at the rubber, with a 17" x 40" flat plateau, and a 40"W landing area.

#04872 / 15 lbs.



### B Measuring Wheel

Heavy-duty construction features a telescoping handle, 10" diameter wheel, 10,000 ft. counter, kickstand and a lifetime warranty.

#01209 / 4 lbs.



### D Super-Duty Tape Measures

No more broken cases or torn tapes! More durable than standard units. Tough, high-tensile strength, vinyl-coated fiberglass tape and impact resistant ABS case. Heavy-duty open reel style units last season after season. English and metric scales.

100' - #02084 / 2 lbs.

200' - #02085 / 3 lbs.

330' - #02087 / 4 lbs.



### E String Winder

High impact plastic construction. Includes 740' of heavy-duty nylon twine and a 10" steel spike.

Caddy Style - #01631K / 5 lbs.

Hand-Held Style - #01651K / 2 lbs.



### F Steel Spike

Excellent for use with string winders and tape measures.

#01140 / 1 lb.

### C Standard-Duty Tape Measures

These economically priced units feature a polyethylene case, PVC-coated fiberglass tape and double sided increments to show feet and meters.

400' Open Reel - #01808 / 3 lbs.

300' Open Reel - #01218 / 3 lbs.

200' Closed Reel - #01214 / 5 lbs.

100' Closed Reel - #01211 / 1 lb.





### A E-Z Batter's Box Chalker

Mark a regulation batter's box in seconds! Fill the trough with chalk, line up with home plate, bump the ground, turn around, repeat and you're done! Marks a 2" wide line. All batter's boxes on an 8-ball diamond complex can be chalked in less than 20 minutes. Durable and lightweight aluminum. Handles fold in for storage.

**Baseball (4'x6') - #01591 / 18 lbs.**

**Combination Softball (3'x7') Youth Baseball (3'x6') #01592 / 18 lbs.**



### B Batter's Box Templates

#### Standard

Heavy-duty 1" square galvanized steel with quick push buttons for easy assembly/disassembly. Official home plate locator. Meets all regulations for batter's box layout.

**Baseball (4'x6') - #01015 / 23 lbs.**


**Baseball (3'x6') - #01017 / 23 lbs.**

**Softball (3'x7') - #01016 / 23 lbs.**

#### Adjustable

Telescoping push button construction adjusts for 4' x 7' official baseball, 3' x 6' Little League and 3' x 7' softball. 1" heavy-duty square galvanized steel construction features a home plate guide for easy alignment. Even allows you to adjust the distance from home plate to maintain regulation specifications! Meets all regulations for batter's box layout.

**#02500 / 24 lbs.**



### C Pro Heavy-Duty Batter's Box Templates

The most durable template on the market! Constructed from lightweight channel aluminum that will never rust. The channel design clearly marks the dirt without needing to trace or score the dirt! Line up the "easy-guide" handle with the side of your home plate and you're done! Folds for transport and storage. Meets all batter's box layout regulations.

**Baseball (4'x6') - #01635 / 20 lbs.**

**Baseball (3'x6') - #01634 / 18 lbs.**

**Softball (3'x7') - #01640 / 19 lbs.**



### D Athletic Field Marking Compound

We carry 2 grades of brightness to meet every budget and need! Both grades of compound are made from the highest quality calcium carbonate (marble dust). Completely safe to players, uniforms, equipment, and turf. Conforms to all "safe-use" requirements of the consumer safety act, NCAA & NFHS official rules and all known Little League rules for athletic marking materials. Rule of Thumb: A 50 lb. bag of chalk will stripe approx. 300' L x 2" W x 1/16" D.

#### Pure Line

Standard white compound we have sold for many years with excellent customer satisfaction. A budget-priced quality material.

**#01520 - Sixty-50 lb. bags per skid**

#### Diamond White Plus

Our Diamond White Plus field marker is whiter and brighter than any other material we have ever seen! We have compared it to Pure Line and three well known brands so you can see for yourself! We believe this to be the whitest compound available! Even visible on crushed limestone infields.

**#01521 - Sixty-50 lb. bags per skid**





**Standard Field Conditioner**



**Deluxe Field Conditioner w/ 6'W x 3'L Finish Drag & Wheel Kit**



**Standard Field Conditioner w/ 6'L x 1" Drag Bar**



**Detachable Drag Bar**



**Pneumatic Wheel Kit**

## Field Conditioners

These multi-use tools break up hard compacted infields for improved sliding comfort, blending in conditioners, drying out a damp field, and working as a leveling device to improve your field for safety. The dual action design can be used teeth down for scarification, or flip it over creating a twin bladed leveling box for leveling and smoothing. Both models measure 70½" wide by a full 16½" deep for added stability. Extremely rugged, fully welded angle iron construction features a powder-coated finish to resist rust. Angle cross braces are spaced to allow two concrete blocks (not included) to fit on each side without moving. Additional blocks can also be placed in the center section. Both units feature 46 cutting teeth that are staggered for 1½" spacing. Optional finishing drag and 1" solid steel drag bar is available for breaking up clumps, smoothing, and leveling during scarification (quick release chains are included with accessories). Tow chain included. Several packages available.

### Standard Model

This rugged unit is designed to be very budget-friendly! This lower cost unit features ½" dia. x 3½" long teeth that bolt in place separately with included lock washers and nuts. Updated model now accepts the optional wheel kit. A great drag for the cost conscious groundskeeper.

#### Standard Conditioner

#04998 / 54 lbs.

#### Standard Conditioner w/ Drag Bar

#04998K / 77 lbs.

#### Standard Conditioner w/ 6'W x 3'L Finish Drag & Wheel Kit

#04998FDK / 124 lbs.

#### Replacement Teeth (46)

Also includes nuts and lock washers.

#01603 / 9 lbs.

### Deluxe Model

This premium model features longer teeth and a set of retaining bars that provide more weight and make changing replacement teeth easier. Simply remove the retaining bars and the teeth come right out! The additional weight of the retaining bars allows for greater cutting depth on hard surfaces. Features ½" dia. x 4" long cutting teeth.

#### Deluxe Conditioner

#04510 / 80 lbs.

#### Deluxe Conditioner w/ Drag Bar

#04510K / 103 lbs.

#### Deluxe Conditioner w/ 6'W x 3'L Finish Drag & Wheel Kit

#04510FDK / 54 lbs.

#### Replacement Teeth (46)

Also includes 14 nuts for the retaining bars.

#03703 / 9 lbs.

### Detachable Drag Bar

70½"L solid steel 1" sq. drag bar can be clipped to nearly any spike drag to smooth and level after scarification. Includes tow chains and clips.

#01565DB / 23 lbs.

### Pneumatic Wheel Kit

Wheelbarrow design makes transporting your drag much easier! Features (2) 10" pneumatic wheels. Two position settings allow you to adjust to your preferences. Fits both the Deluxe (#04510) and the Standard (#04998) Field Conditioners. Note: The old Standard Field Conditioner (#01565) does not have special mounting holes for this wheel kit.

#04511 / 10 lbs.

## Big League Nail Drags

This premium infield drag was developed by a Major League groundskeeper who was dissatisfied with the existing equipment on the market. Designed to provide the most uniform scarification available. Features three crossbars, each containing two rows of ¼" diameter, 6"L finely pointed spikes. Each row is offset 2" on the same crossbar and each crossbar is offset ⅝" from the other crossbars. This design provides the smoothest and most manicured scarification available. Allows you to more uniformly blend conditioners into your infield clay. Simply the best drag for breaking up hard compacted surfaces. Also helps dry out moist infield clays. Super heavy-duty fully welded box frame constructed of structural and angle steel with a powder-coat finish. Three retaining plates secure spikes from coming out and make spike replacement quick and easy. Optional Adjustable Wheel Kit available to control the cutting depth and for convenient transport.

**3'W x 3'L Nail Drag** - #03827 / 76 lbs.

**5'W x 3'L Nail Drag** - #03828 / 117 lbs.

### Replacement Spike Kits


**3'W - Set of (49)** - #03827R / 6 lbs.

**5'W - Set of (82)** - #03828R / 9 lbs.

### Transport Wheel Kit

Features multiple position settings spaced ½" apart, allowing you complete control of your cutting depth. First position setting will cut up to a depth of ½". In transport mode there is 4" of ground clearance! The wheel kit option is recommended for the 5' wide model. #03829 / 20 lbs.





### Rigid Stadium Series Drag Mats

Used by pro stadiums across the country! The rigid design does not flex like a standard drag, providing enhanced leveling by shaving material off the high spots, and filling in the low. Smooths out uneven surfaces while creating that professional finished appearance. This drag does not roll up. Constructed from rugged, galvanized steel 1" square mesh, 3/8" deep x .046" thick crimp. Includes a powder-coated steel front drag attachment and tow rope with handle. (Custom sizes available). 1 year limited warranty.

- 4'W x 2'D - #02858K / 23 lbs.**
- 6'W x 2'D - #02857K / 33 lbs.**



### Cocoa Mat Drags

The secret weapon for professional groundskeepers across the country! Natural cocoa fibers "float" across the surface producing a beautiful finish with minimal movement and build up of your infield mix. Unlike steel drags, cocoa mats drastically reduce the accumulation of dirt when you're finished. Flip the drag over and use the solid steel twin bladed cutting edge for shaving off high spots and filling in the low. Also great on turf to break up core aeration plugs and smooth in top dressing materials. Features a hand held cutout for easy transport. Note: 2' deep drags include a tow rope with wood handle, and the 4' deep drag includes a free heavy-duty tow chain. Replacement Cocoa Mats available.

- Standard 4'W x 2'L w/Tow Rope - #02731 / 27 lbs.**
- Large 6'W x 2'L w/Tow Rope - #02732 / 39 lbs.**
- Jumbo 6'W x 4'L w/Tow Chain - #02733 / 66 lbs.**



### Tow Chain Assembly

Includes a 14' heavy-duty chain and steel clips for attachment to drag and tractor. **#01952K / 5 lbs.**





### Leveling Bar

Designed to shave off high spots and fill in the low areas in front of your finish drag. Bent wings prevent material from spilling over the edges. 6' wide, 3/8" thick, powder-coated steel. Quick links are included for attachment. **#02878 / 15 lbs.**

### Steel Mesh Drags

Rugged, continuous crimp steel with a rust-resistant galvanized finish. Found at nearly every ballpark in the country. Ideal for finish dragging ball diamonds, breaking up aeration plugs, and soil preparation for seeding. Standard, Heavy-Duty, and Rigid Style models available. Flexible Steel Drag Mats can be custom made to your specifications! Note: Custom drags and 8' x 6' drags cannot be returned.



### White Line Flexible Standard-Duty Drags

The #1 selling drag for ballfield grooming. Economically priced, yet durable enough for daily use. Constructed from 3/8" deep x .046" thick crimp with a 1" x 1" mesh. 1.6 lbs. per sq. ft. weight. Comes complete with steel drag attachment and tow rope.

- 3'W x 3'L - #01412 / 17 lbs.**
- 3'W x 5'L - #02976 / 27 lbs.**
- 4'W x 5'L - #01413 / 34 lbs.**
- 6'W x 3'L - #02080 / 34 lbs.**
- 6'6"W x 4'L - #04388 / 51 lbs.**
- 6'W x 6'L - #01415 / 60 lbs.**
- 8'W x 3'L - #03700 / 51 lbs.**
- 8'W x 6'L - #01416 / 84 lbs.**


### White Line Flexible Heavy-Duty Drags (Monster Mat)

Don't be fooled by competitors who take a standard-duty mat, add a heavier angle attachment and call it heavy-duty. Our mesh is over three times the strength of the standard-duty drags and will last much longer. Constructed from 1/2" deep x .062" thick crimp, with a 1" x 1" mesh. 3.5 lbs. per sq. ft. weight. Comes complete with thick steel angle iron drag bar w/eyebolts for towing. Larger sizes not recommended for hand dragging. Rolls for storage and transporting. Tow Chain Assembly sold separately.

- 4'W x 4'L - #01442 / 61 lbs.**
- 6'W x 4'L - #02081 / 93 lbs.**
- 6'W x 6'L - #01443 / 128 lbs.**
- Tow Chain Assembly - #01952K / 5 lbs.**

**A****A Field Float**

This economically priced leveling device reduces liability and injury by keeping your playing surface in top shape. Even and level surfaces help to prevent bad hops and sliding/running injuries. Effectively smooths out rough and uneven ballfields in very little time. The heavy-duty steel construction measures 6'9" wide x 40" deep creating an extremely stable leveling platform. The Field Float features a front cutting blade designed to shave high spots down, and a rear "dozer" style blade to collect the loose material, push it forward, and deposit it into low spots. Shave, fill and level all in one pass. Comes complete with heavy-duty tow chain. Ships knocked down, some assembly required. #03701 / 60 lbs.

**B****B Flexible Field & Turf Conditioner**

Universal grounds tool, ideal for smoothing and drying infields, stimulating early turf green-up, breaking up clumps, loosening thatch, working in seed and fertilizer, and breaking up core plugs. Tow it three ways: one direction for aggressive, the opposite for light, and teeth up for smoothing and breaking up clumps. Heavy-duty steel with 7/16" dia. x 3 1/2" long tines. Tow bar and tow chain included. Three point lift available for large area models.

**Athletic Field Models (One Man Use)**

4'W x 4'L - #02767 / 76 lbs.

6'W x 4'L - #02768 / 118 lbs.

**Large Area Models (Vehicle Required)**

4'W x 7 1/2'L - #01250 / 138 lbs.

6'W x 7 1/2'L - #01251 / 214 lbs.

8'W x 7 1/2'L - #01253 / 276 lbs.

**Universal 3-Point Hitch Lift Kit for 6' & 8'W x 7 1/2'L**

#01252 / 130 lbs.

**C****C Handozer Complete Unit**

Work smarter, not harder! This 30" wide hand drag rakes, scarifies, levels, compacts, and finish grooms your infield all in one pass, saving you time and labor. As you pull the unit, the front rake scarifies your infield creating loose soil. The leveling blade collects the loose material, shaves off the high spots, and fills in the low areas, creating a level playing surface. The steel roller (which can be water filled) then re-compacts the loose soil, and finally the heavy-duty drag mat gives your field a finished look. Compared to individual grooming tools, the Handozer gets the job done 3X faster. Pull it by hand with the T-handle or use the tow bar attachment with a small mower or ATV, both attachments are included. Heavy-duty powder-coated steel construction, folding handle, built-in transport wheels, and fully replaceable components. Available as a complete system only. Includes roller and finish drag.


#03207K / 132 lbs.



Cocoa Mop



Flex Steel Mop



#01453

#03707

### A Finishing Mops

Designed for those small areas that are nearly impossible to finish grooming! Great for mounds, infield edges, base paths, on-deck circles, and any other cutouts. The 24"W x 18"D mats are available in your choice of either a high quality cocoa mat or a heavy-duty flexible steel mat. The 66" handles and attachments are constructed from heavy-duty reinforced aluminum. Replacement mop heads available.

**Cocoa Mop** - #02794 / 12 lbs.

**Flex Steel Mop** - #02333 / 12 lbs.

### B Pro Edger & Sod Cutter

Rugged kick-type edger and sod cutter produces sharp, uniform lines on your infield turf perimeter and cuts uniform 12" strips of sod quickly and smoothly. You can average 30' of sod in 60 seconds and trim edge lines even faster. Heavy-duty construction features: 1-piece steel frame, self-lubricating nylon bearings, hardwood handles, and a tempered, fully adjustable blade with a sharp edge.

**12"** - #02613 / 27 lbs.

**6"** - #04475 / 25 lbs.

### C Loop/2-Way Hoe

Dual action hoe cuts grass and weeds out by the roots with minimal surface disruption. Great for base paths! Heavy-duty stamped steel head with aluminum handle.

#01454 / 4 lbs.

### D Sand Comb

Prevents sliding injuries from unseen debris. Quickly and effectively sifts debris from sand and soil. Cast aluminum with a 1/4" mesh screen. 16"W x 4"H catch. Replacement screens available.

#01562 / 7 lbs.

### E Pro Series Dirt Tamps

Heavy-duty tamps designed for a lifetime of use. Welded all steel construction with 1/4" thick base plates, and 1 1/2" dia., 48"L heavy wall handles. Large welded gusset braces for maximum durability, and a powder-coated finish. The most durable tamps available! Finishing size is great for around the pitching rubber and mound.

**10" x 10" Pro Tamp** (1/4" Thick Base)

#01453 / 17 lbs.

**4.5" x 10" Finishing**

3/8" thick base for added weight.

#03707 / 15 lbs.

### F Tamp Sock

Keep dirt from sticking to the tamp! 3-ply denim for extra durability.

**8" x 8"** - #01577 / 1 lb.

**10" x 10"** - #01578 / 1 lb.

**12" x 12"** - #01583 / 1 lb.

**4.5" x 10"** - #03834 / 1 lb.

### G Toolite® Scoop

Toolite®'s 14" x 17" scoop is perfect for sifting and removing debris when top-dressing athletic fields. Works with sand and all types of soil. Features heavy-duty, yet lightweight, one piece molded poly with a 27"D-grip handle.

#04325 / 3 lbs.

### H Toolite® Sifting Shovels

Designed to sift debris and stones from infield materials, dig out leaking irrigation wells, and shovel wet, muddy materials. These shovels feature heavy 14 gauge steel heads with 48"L solid core fiberglass handles.

**Square Point** - #04326 / 5 lbs.

**Round Point** - #04333 / 5 lbs.





**A Field Rakes**

This rake features a heavy-duty aluminum handle and head with large teeth on one side and a rugged leveling blade on the other.

- 24" - #01452 / 5 lbs.
- 36" - #01436 / 5 lbs.
- 48" - #01438 / 5 lbs.

**B Screening Rake**

This rake features a heavy-duty aluminum handle and 36" head. Specially designed "S" teeth are ideal for sifting and screening stones and debris. Other side has small leveling edge.

#01809 / 6 lbs.

**C Pro-Lute**

Pro groundskeeper quality infield maintenance tool! Much lighter than traditional field rakes and lutes! The secret is in the magnesium blades which are much stronger and lighter than aluminum! The extra long 6' handle and light weight makes them a favorite among the pros. Blade features sharp teeth on one side and a leveling edge on the other side. Rake also doubles as a tamper. Replacement parts are available.

- 36" Lute Rake - #03704 / 4 lbs.
- 48" Lute Rake - #03705 / 4 lbs.

**D Base Runner Telescopic Rake**

This rake brings a new level of portability to infield maintenance. So compact it fits in the trunk of a car, yet is tough enough for the most demanding use. Handle telescopes down to 39" and the 36" wide rake head is easily removed. Rake head features large teeth on one side and a leveling blade on the other.

#02229 / 6 lbs.

**E Double Play Grooming Rake**

One side features a row of short, pointy scarifier teeth, while the other side sports longer landscaping teeth. This rake has a heavy-duty all-aluminum 66" handle with wrap-around braces and a 36" wide head.

#02067 / 6 lbs.

**F Scarifier/Lute**

This scarifier features a heavy-duty aluminum handle and 36" head. The pointed scarifying teeth offer more effective digging than most blunt tooth lute rakes. Larger leveling blade on other side!

#01467 / 5 lbs.

**G Level Head Rake**

Great lightweight multi-purpose rake. Steel head measures 17" wide and has a 60" powder-coated aluminum handle.

#01420 / 4 lbs.

**H Double Play Finishing Broom**

Two tools in one! The brush is excellent for finishing work and sweeping infield material from the turf perimeter. Flip the head and you have a row of scarifier teeth for infield prep. Heavy-duty 60" aluminum handle and 28" wide head.

#02065 / 6 lbs.

**I Infield Lip Broom**

Features an aluminum handle braced to a 24" head, which has poly bristles for light to aggressive sweeping. Great for sweeping infield material out of the turf and general cleaning.

#01679 / 6 lbs.

01233

J

02066

**J Professional Drag Brooms**

These lightweight, easy to use grooming tools can be pulled or pushed, creating a manicured professional appearance! The dual action design can be used bristle side down to finish drag your field with minimal material buildup, or turn handle over and pull from the opposite direction to utilize the 7' wide cutting edge. The standard model features a straight cutting and leveling edge for shaving down high spots and filling in low areas. The double play model features a row of pointed scarifying teeth for breaking up hard, compacted infields. Both models measure 7' wide and feature an all-aluminum construction with 2 rows of durable, 4 1/2" long poly bristles, a 4' fluted A-frame handle with 18" wide cushion grip, and 2 hooks for hanging.

**Standard Drag Broom w/ Straight Edge**  
#01233 / 15 lbs.

**Double Play Drag Broom w/ Scarifying Teeth**  
#02066 / 17 lbs.

## Puddle Pillow

This handy groundskeeping tool will make quick work of removing small puddles! Simply place a few pillows in standing water, give them a few moments to take in the water or step on them a bit to speed up absorption. When saturated, remove from play area and squeeze out absorbed water. Durable enough to be reused many times! 10 pillows per case. Each pillow can absorb up to 3 liters of water.  
#01539 / 12 lbs.



## Quick Pump

Whether you need to dry puddles from your infield or clear water from sprinklers and valve boxes, this hand pump is the right tool for any job. Self-priming, easy to clean design pumps a gallon of water in only four strokes, Averaging 8-10 gallons per minute! Constructed from high impact, corrosion-proof PVC. Measures 36"Lx1 3/4" dia., fits in the tightest places. Includes a 36" discharge hose.  
#04184 / 5 lbs.



## Diamond Pump


One of the best selling water removal tools. Pumps 20 gallons per minute. Great for removing standing water from ball diamonds. Base disk prevents debris from being drawn in. The unit is completely unaffected by mud. Tough ABS construction. Pump water into a bucket or off the field with the Diamond Pump Hose!

**Diamond Pump**  
#01424 / 7 lbs.

**Replacement Parts**  
**Handle, Plunger Cup, & Lid**  
#01014 / 4 lbs.

**Plunger Cup & Lid - #03729 / 1 lb.**  
**Plunger Cup Only**  
#03729-A / 1 lb.

**Hose Sections (Highly Recommended)**  
**25' Section of Hose**  
#01426K / 10 lbs.  
**50' Section of Hose**  
#01427K / 16 lbs..  
**75' Section of Hose**  
#01425K / 30 lbs.



## Straight Bladed Squeegee

Heavy-duty all aluminum construction features a 36" wide replaceable rubber blade and 66" handle.  
#02793 / 6 lbs.



## Heavy-Duty Roller Squeegee

Heaviest duty available with 60" handle. Foam rubber construction will not absorb water or tear. Best squeegee for ball diamond dirt.  
#01494 / 8 lbs.

**Replacement HD Roller**  
#02371 / 5 lbs.



**High-Vis Red Heavy-Duty Hose**



**Big League Clear Stadium Hose**



**Heavy-Duty Watering Hose Systems**

All our hoses are constructed from premium components for years of trouble-free performance. Solid brass fittings, reinforced hoses with high burst ratings, and stainless steel bands define a few of the features that create our top rated hose systems.



**High-Impact Fire Nozzle**



**Swivel-L**



**Quick Coupler Valve**



**Quick Coupler Key**



**Brass Impact Sprinkler Head**



**Hose Adapters**



**Washers**

**Professional Groundskeeper Kit**

Great for the sidelines or behind the mound. Includes everything you need to conveniently water your infield. Permanently attach the quick coupler valve to a riser off your irrigation line. Once installed you will have easy access to water on the field. To turn the water on/off, simply insert the key into the valve and turn. Kit includes a red high-impact fire nozzle, brass L-swivel, quick coupling valve, and quick coupling key.

**For 1" Hose - #02876K / 4 lbs.**

**For 3/4" Hose**

Kit incl. adapter to reduce 1" to 3/4" hose use. **#02877K / 4 lbs.**

**Quick Coupler Valve, Key, & Swivel-L**

All brass and steel construction. The valve features a 1" inlet and a safety yellow rubber lid. The single lug key is universally threaded. External 1" male threads for hose/swivel/sprinkler connection, and internally 3/4" female threaded for impact sprinklers. Swivel has 1" threading inlet and outlet.

**Valve - #03003 / 2 lbs.**

**Key - #03004 / 2 lbs.**

**Swivel-L - #01742 / 3 lbs.**

**Brass Impact Sprinkler Head**

**#01611 / 3 lbs.**

**Hose Adapters**

**3/4" F to 1" M - #01009 / 2 lbs.**

**1" F to 3/4" M - #01907 / 1 lb.**

**Washer**

For 1" female fittings. Minimum order 1 dozen. **#01970 / 1 lb.**

**Optional 6'L x 1" Dia. Feeder Line #02544K / 3 lbs.**

**High-Vis Red Heavy-Duty Hose**

Heavy-duty all-purpose watering hose featuring a 200 PSI working pressure and a 600 PSI burst rating. High visibility red rubber hose has a dual layer construction with a woven poly cord reinforcement. 1" and 3/4" I.D. sizes available. Hose kit includes groundskeeper hose kit, which includes high impact fire nozzle, L-swivel, quick coupler key, & valve.

**3/4" I.D. Hose (Connects to 3/4" threaded spigot)**

**50' Hose - #01703K / 18 lbs.**

**50' Hose Kit - #04180K / 22 lbs.**

**100' Hose - #01705K / 36 lbs.**

**100' Hose Kit - #04181K / 40 lbs.**

**1" I.D. Hose (Connects to 1" threaded spigot)**

**50' Hose - #01699K / 25 lbs.**

**50' Hose Kit - #01695K / 29 lbs.**

**75' Hose - #01700K / 36 lbs.**

**75' Hose Kit - #01696K / 40 lbs.**

**100' Hose - #01701K / 46 lbs.**

**100' Hose Kit - #01697K / 50 lbs.**

**150' Hose - #01702K / 70 lbs.**

**150' Hose Kit - #01698K / 74 lbs.**

**Big League Clear Stadium Hose**

This all-purpose water hose is extremely durable, yet lightweight for easy handling. Weighs 30% less than the red rubber hose. Constructed from high pressure clear PVC hose, featuring a woven polyester cord reinforcement. Rated at 150 PSI working pressure and 450 PSI burst. Note: Hose Kit includes the sections of hose and a Groundskeeper Hose Kit (includes high impact fire nozzle, L-swivel, quick coupler key, & valve).

**1" I.D. (Connects to 1" threaded spigot)**

**50' Hose - #02306K / 17 lbs.**

**50' Hose Kit - #02308K / 21 lbs.**

**75' Hose - #02874K / 25 lbs.**

**75' Hose Kit - #04130K / 29 lbs.**

**100' Hose - #02307K / 34 lbs.**

**100' Hose Kit - #02309K / 38 lbs.**

**150' Hose - #02875K / 51 lbs.**

**150' Hose Kit - #04131K / 55 lbs.**

**Big League Stadium Water Hose Cart**

Finally an affordable hose cart that takes the hassle out of watering your infield but won't break the budget. Holds 150' of 1" hose (200' of 3/4" hose). Heavy-duty construction features thick gauge tubular steel framing, an electrostatically powder-coated finish to prevent rust, "EZ turn" hand crank with steel bushings, and large 10" dia. pneumatic turf tires for easy transport. Designed with large diameter internal plumbing and 1" fittings to work with 1" hose. Includes a 6'Lx1"ID Feeder Hose for connection to your water source. Note: 3/4" hose adapters are required to attach 3/4" GHT fitted hose.

**#03855 / 55 lbs.**

Hose sold separately.



www.whiteinequipment.com | 877.717.2892 | 812.634.6308 fax



### Brass Impact Sprinkler Head

**A**

**B**

### RollerPro Portable Sprinkler Base

**C**

**D**

**E**

### Cyclone Precision Nozzle

**F**

### Rainbow Nozzle



### **A** Brass Impact Sprinkler Head

The Sprinkler Head features solid brass construction with  $\frac{3}{4}$ " male threading that fits our RollerPro base, and quick coupler key, full or part circle,  $\frac{3}{16}$ " nozzle, and adjustable diffuser pin. Performance: 30 PSI yields 43' radius & 60 PSI. Yields 48' radius.

#01611 / 3 lbs.

### **B** RollerPro Portable Sprinkler Base

The Sprinkler Base features a weighted 22"W stainless steel roller to provide a stable platform that prevents movement during use. Designed for years of hard use, it's ideal for watering dry spots and newly seeded areas. Includes adapters to work with  $\frac{3}{4}$ " & 1" male impact sprinkler heads and  $\frac{3}{4}$ " & 1" hose. Sprinkler and hose sold separately.

#04127 / 8 lbs.



### **C** Hot Shot Pro Nozzle

Considered by the pros to be one of the best nozzles available. Super heavy-duty construction features aircraft aluminum with high-impact composite components. Fully adjustable flow control from a strong jet stream to a mist. Quick on/off. Fits 1" hose only. Allows 35 gallons per minute to flow.

#02597 / 1 lb.

### **D** Magnum Nozzle

The Magnum contains no plastic internal parts to break or wear out. Unique ratchet mechanism easily adjusts from gentle fan to powerful jet stream and prevents over-tightening damage. Precision-machined, incredibly smooth operation and outstanding distribution patterns make it ideal for high-demand areas like sports fields. Allows 37 gallons per minute to flow.

#### For 1" Hose

$\frac{3}{4}$ " Nozzle with adapter to make fit a 1" hose.

#04182K / 1 lb.

For  $\frac{3}{4}$ " Hose - #04182 / 1 lb.

### **E** High-Impact Fire Nozzles

The high-impact, thermoplastic construction resists corrosion. Features a rubber bumper guard to protect the housing and brass diffusers allow adjustment from a light mist to a powerful jet stream. Allows 22 gallons per minute to flow.

For 1" Hose - #01738 / 3 lbs.

For  $\frac{3}{4}$ " Hose - #01739 / 1 lb.

### **F** Cyclone Precision Nozzle

The fixed flow rate Cyclone can put down a tremendous amount of water in a short period of time. Unlike variable nozzles, the Cyclone uses an interchangeable nozzle tip to put down the desired moisture for the application. Features a simple on/off valve. Two baseball/softball nozzle tips are available for either a deep soak, or a light spray! The Cyclone tip features the highest flow rate we offer, 50 plus GPM at 80 PSI. The optional Rainbow tip is designed for a controlled light watering, and produces 15 GPM at 80 PSI.

#### Cyclone Nozzle Complete

Includes the on/off valve, 50 GPM nozzle tip, & adapters to fit  $\frac{3}{4}$ " and 1" hose.

#04183 / 1 lb.

#### Rainbow (Nozzle Tip Only)

15 GPM @ 80 PSI.

#04183-A / 1 lb.

#### Cyclone/Rainbow Combo Kit

Includes both nozzle tips, the on/off valve, and adapters to fit  $\frac{3}{4}$ " and 1" hoses.

#04183K / 1 lb.


### Contractor Grade Water Hose Cart

Industrial strength, designed for the toughest abuse. Will accommodate up to 150' of 1" dia. hose, (use adapters for  $\frac{3}{4}$ " hose). Heavy gauge powder-coated steel with a 1" female inlet & male outlet. Spring-loaded locking pin prevents rotation when not in use. Adjustable tension brake controls unwinding. Brass female 90° swivel joint and 1" plumbing throughout maintains full pressure. (Note: cart does not include a feeder line to run from water source to the cart, use existing hose section or an optional 6' feeder line as shown.)

#02543 / 106 lbs.

#### Optional 6'L x 1" Dia. Feeder Line

#02544K / 3 lbs.





**Premium Series Full Infield Cover**



**Economy Series Full Infield Cover**

### Premium Series Full Infield Covers

The highest quality poly tarps available. Don't be confused with low quality imported tarps!!! Used by major universities across the country. These professional grade tarps feature woven-coated polyethylene surrounding the strongest reinforcing scrim available, full UV stabilization, mildew resistance, and heat welded seams. The white top side has been proven to have the lowest heat build-up available. All of our infield covers include a special "Floating Handle" system which offers major improvements over sewn handles that perforate the tarp, weakening the attachment point and allowing them to easily tear out. Handles are spaced approximately every 10' around the entire perimeter. The floating design allows crews to position the handles in the most convenient location. Cast aluminum handles feature a nylon webbing loop strap and built-in spike hole for anchoring. Available in two grades of durability: 5.8 oz. per sq. yd. and 6.3 oz. per sq. yd. These domestically produced tarps meet or exceed any poly tarp on the market! Full manufacturer's warranty included. Includes sandbags for securing tarp (sand not included). Optional 20', 30', and 40' heavy-duty tarp rollers are also available. See just how affordable a quality tarp can be! Now Includes a free Premium Tarp Roller Storage Cover! Please specify color and the roller size you will be using. Do not forget the optional lettering.

#### Softball/Youth Baseball Sizes

**Standard 5.8 oz. per sq. yd. - 10 mil**

- 90' x 92' (50 SB) - #03293 / 650 lbs.
- 100' x 98' (50 SB) - #03294 / 770 lbs.
- 110' x 110' (75 SB) - #02524 / 861 lbs.
- 120' x 121' (75 SB) - #02525 / 965 lbs.
- 130' x 132' (75 SB) - #02526 / 1079 lbs.

#### Deluxe 6.3 oz. per sq. yd. - 12 mil

- 90' x 92' (50 SB) - #03295 / 785 lbs.
- 100' x 98' (50 SB) - #03296 / 900 lbs.
- 110' x 110' (75 SB) - #02528 / 1030 lbs.
- 120' x 121' (75 SB) - #02529 / 1169 lbs.
- 130' x 132' (75 SB) - #02530 / 1320 lbs.

#### Baseball Sizes

**Standard 5.8 oz. per sq. yd. - 10 mil**

- 160' x 161' (100 SB) - #02531 / 1456 lbs.
- 165' x 167' (100 SB) - #02532 / 1586 lbs.
- 170' x 167' (100 SB) - #02533 / 1622 lbs.
- 175' x 173' (100 SB) - #02534 / 1721 lbs.

#### Deluxe 6.3 oz. per sq. yd. - 12 mil

- 160' x 161' (100 SB) - #02535 / 1869 lbs.
- 165' x 167' (100 SB) - #02536 / 1976 lbs.
- 170' x 167' (100 SB) - #02537 / 2025 lbs.
- 175' x 173' (100 SB) - #02538 / 2144 lbs.

### Economy Series Full Infield Covers

We understand that the current economy has left many customers with limited funds for their athletic programs. With this in mind, we are now offering the new Economy Series Full Infield Covers. These tarps are fabricated from the same high quality 6.3 oz. (12 mil) material as the Deluxe Infield Covers; the only difference being the white and black color. They are constructed from reinforced polyethylene, and have a completely heat-welded perimeter hem. Brass grommets are spaced every 10' (no handles). All accessories are sold separately.

#### Softball/Youth Baseball Sizes

- 100' x 98' - #04968 / 770 lbs.
- 120' x 121' - #04969 / 965 lbs.

#### Baseball Sizes

- 160' x 161' - #04970 / 1456 lbs.
- 170' x 173' - #04971 / 1622 lbs.



### Premium Heavy-Duty Double Wall Tarp Rollers

Extra durable double-wall thickness designed to handle the weight of the tarp and stress of frequent deployment. Standard poly coupler included with all two section rollers. Consider the steel insert for a more rigid connection. (All tarp rollers ship motor freight).

- 10'L x 28"OD (1 section) - #01572K10 / 155 lbs.
- 20'L x 28"OD (1 section) - #01572K20 / 310 lbs.
- 30'L x 28"OD (2 sections) - #01572K30 / 360 lbs.
- 40'L x 28"OD (2 sections) - #01572K40 / 480 lbs.

#### Optional Steel 2 Section Tarp Roller Insert

Much stronger than the standard tarp roller couplers!  
#01572B / 3 lbs.



### Premium Roller Storage Covers

Designed to protect your field cover when stored on a tarp roller. Premium construction features heavy-duty 14 oz. vinyl (10' is 18 oz. vinyl). Optional 20" high white lettering is available in a bold, block font. Designed to fit 28" to 30" O.D. rollers. Available in black, white, purple, orange, navy, royal blue, red, kelly green, forest green, maroon, or yellow. Please specify color and lettering if desired. Custom sizes available, call for pricing. (Tarp roller not included.)

- 10' - #04520 / 18 lbs.
- 20' - #03166 / 23 lbs.
- 30' - #03167 / 33 lbs.
- 40' - #03168 / 44 lbs.

#### Optional 20" White Letters

#03169

## A The "Original" Poly-Cap

Poly-Cap is an inexpensive way to add safety, reduce player injuries, increase visibility, and beautify any field. Available in the trademarked bright "safety" yellow, forest green, or black. Poly-Cap is the original fence cap and still the best! Manufactured with the thickest wall creating unequaled durability and UV protection. Compare Poly-Cap to the competition and you will find it to be 20% thicker! Be cautious with thinner walled materials that have a more dull and pale appearance. Sunlight will penetrate easier and will become brittle much quicker. Poly-Cap features weather-treated and UV-protected pre-slit  $4\frac{1}{2}$ " diameter polyethylene construction that will offer years of protection. Secure Poly-Cap with optional matching ties every three feet. 250' Roll ships at 64" x 64" x 25". 100' Roll ships at 44" x 44" x 27". Limited 2-year warranty. Don't be fooled by lower quality, pale colored look-a-likes!

**Yellow - 100' Roll - #01160 / 35 lbs.**

**Yellow - 250' Roll - #01162 / 85 lbs.**

**Forest Green - 100' Roll - #02373 / 35 lbs.**

**Forest Green - 250' Roll - #02372 / 85 lbs.**

**Black - 100' Roll - #04450 / 35 lbs.**


**Black - 250' Roll - #04449 / 85 lbs.**



## B Poly-Cap Installer

Cut installation time up to 75%! Install 100' of Poly-Cap in less than 10 minutes. Poly-Cap can be difficult to spread and hard on your hands and knuckles. The installer simplifies installation and avoids injuries by spreading the Poly-Cap and allowing it to close over the fence as you move forward. Solid steel construction is inexpensive yet durable enough to be used time and time again.

**#02294 / 4 lbs.**



## C Fence Cap Ties

Our heavy-duty reusable ties. They measure 19"L and feature a high breaking strength. Specially designed for Poly-Cap. Sold in packages of 100.

**Yellow - #01649 / 1 lb.**

**Forest Green - #02374 / 1 lb.**

**Black - #04451 / 1 lb.**



## D "Original" Fence Guard

Eliminate chain link injuries and add some sparkle to your park. Our premium quality protective fence covers offer the highest level of player protection. Don't be fooled by low cost, thin walled look-a-likes. Demand the best! The professional teardrop shaped profile is easy to install with just one person. 8' long sections can ship common carrier, saving up to 75% freight cost. Exterior grade UV-resistant polyethylene construction is maintenance-free and is designed to be the longest lasting fence cap available. Pre-drilled every 24" and includes ties for securing to the fence. Available in 3 grades of durability to meet any budget. With six attractive colors to choose from, coaches can match their school colors, creating a beautiful appearance. Sold in 80' cartons only. Please specify color.

**Premium** (3"W x 4 $\frac{1}{2}$ "T x 8'L x .10" wall thickness)

For programs that demand the best, we recommend our Premium Fence Guard. Our thickest walled construction is designed for maximum player protection and durability. 5-year limited warranty. Available in yellow, forest green, red, and blue. **80' Carton - #01166(?) / 42 lbs.**

**Standard** (2 $\frac{5}{8}$ "W x 4"T x 8'L x .07" wall thickness)

Our standard construction is designed for excellent player protection and durability at an economical price. 3-year limited warranty. Available in yellow, forest green, red, blue, orange, and white. **80' Carton - #01923(?) / 33 lbs.**


**Lite** (2 $\frac{5}{8}$ "W x 4"T x 8'L x .05" wall thickness)

Priced for the tightest budget! Our lighter weight construction is designed for park beautification, player spatial awareness, and injury prevention. 1-year limited warranty. Available in yellow, forest green, red, and blue. **80' carton - #03022(?) / 25 lbs.**

## Fence Guard Ties

Black ties are weather-treated and UV-resistant. Sold in packs of 100.

**#01646 / 1 lb.**



## A Heavy-Duty Foul Poles

The highest quality construction, affordable pricing, and a 5-year warranty make these foul poles a home run in any park. All styles feature: heavy-wall 3½" OD steel tubing, (30' H poles feature a 4" dia. base and 3½" dia. top), 18" wide steel mesh wing banners with heavy gauge steel supports, and a fully electrostatically powder-coated optic yellow finish for clear visibility both day and night. Optional ground sleeves available. When ordering a single foul pole, specify either right or left field.

### Traditional Single Pole

12' above ground, 4' in-ground, 4' wing banner  
#02880 / 300 lbs.

15' above ground, 4' in-ground, 7' wing banner  
#01244 / 390 lbs.

20' above ground, 4' in-ground, 12' wing banner  
#02334 / 550 lbs.

30' above ground, 6' in-ground, 22' wing banner  
#01246 / 850 lbs.

### Ground Sleeves

Designed to ease foul pole installation. Solid steel construction. 30' poles require 6'L sleeves. All other sizes require 4'L sleeves.

**6'L Ground Sleeve**  
(4¾" Outer Diameter)  
#03016 / 102 lbs.

**4'L Ground Sleeve**  
(3¾" Outer Diameter)  
#02360 / 41 lbs.



## Fence-Tote

The most convenient way to transport and store your portable fence panels! Never hand carry your fencing again. The Fence-Tote will cut your labor costs dramatically and pay for itself! Carries 20 panels either standing or laying flat. The removable uprights make it easy to load/unload. Can be connected to nearly any vehicle (tractor, mower, or ATV) with a hitch. Features heavy gauge SQ galvanized steel tubing frame and 10" pneumatic turf tires for effortless mobility.

**B Fence-Tote Only - #02605 / 89 lbs.**

**C Optional Storage Tray - #02616 / 11 lbs.**

**D Optional Multi-Hitch Attachment - #02617 / 4 lbs.**



## E Safety Top Cap

Safety Top Cap protects players from injury, provides enhanced field appearance, and acts as a visual warning for outfielders approaching the fence. Manufactured using HDPE plastic with UV stabilizers. Capable of withstanding impact and the harmful effects of the sun for many years. Easy to install D-shape design measures 2⅝"W x 5½"H x 8'L. Secures with included hog rings. Sold in full cartons of 40' (five 8' sections only). Available in yellow only.  
#02548Y / 20 lbs.



## F Heavy-Duty Rubber Backstop Matting

An inexpensive way to protect players from ball deflection. Also great for eliminating the stretching and bending of chain link fencing caused by players hitting balls into the fence. 4'H x 6'W panels, approximately ¾" thick. Constructed from extremely heavy-duty black rubber with brass grommets every 18" on both 6" edges for hanging.  
#02398 / 55 lbs.

**HD Backstop Padding Ties**  
#01616 / 2 lbs.



## G Distance Banners

Hanging vinyl-coated polyester banners featuring vinyl numbers heat welded for added durability. Micro-mesh design allows wind to flow through, preventing damage. Measures 4½' x 2' with 18" high numbers. Available in dark green, royal blue, red, or black with yellow or white numbers. Perimeter grommeted for easy installation. Please specify banner color, number color, distances to appear on each banner, foot indicator preference, and whether you're hanging it horizontally or vertically.  
#01538 / 6 lbs.





## White Line Portable Fence System

The original flexible safety fence! This package includes high performance materials that are weather-resistant and UV-protected to offer many years of trouble-free use. Perfect for all levels of play. Durable enough for the most demanding tournaments, yet very economical for those tight budgets. The posts offer excellent injury protection because they flex and absorb impact 360°, and distribute pressure evenly to the fence. Each package includes 18 posts for maximum support (that's one post every 8'10"). The attractive, easy to set up, and portable design will be a home run for any program!



### Tuff-Fence

Attractive 4'H knitted polyethylene mesh with 1/2" squares to allow 65% wind flow. Features three lines of reinforced banding to secure fence posts (reinforcements are located on the top, middle, and bottom). Tuff-Fence is fray-resistant and can be field cut to your desired length. Available in dark green, royal blue, scarlet red, and black. Specify color when ordering.



### Flex-Post

One of the safest fence posts available! Measuring 5'6"L x 1 1/16" dia. and is constructed from UV-protected fiberglass for total 360° flexibility. Designed to withstand frequent impact and flexing. Won't rust, rot or become brittle. The flexibility evenly distributes pressure to the fence preventing damage and breakage. Pointed design can be installed without digging and can be used with or without ground sleeves. Each post includes a yellow safety top cap and three adjustable gripper clips to secure the fencing.



### Flex-Post Ground Sleeves

Use ground sleeves for temporary or portable installation. Ideal if the fencing needs to be removed and replaced often. Galvanized steel construction is easy to find with a metal detector. Each ground sleeve measures 16" and includes a debris plug.

## Fence Packages

Includes: Tuff-Fence, Flex-Posts fitted with yellow safety caps and 3 gripper clips, yellow anti-sag rope and clips, and 100 zip ties. Package with ground sleeves includes ground sleeves with plugs and a driver insert tool. Specify color when ordering.

**150' Package with 18 Posts (No Ground Sleeves)**  
#FNC1 / 66 lbs.

**50' Package with 7 posts (No Ground Sleeves)**  
#FNC1-50 / 23 lbs.

**150' Package with 18 Posts and Ground Sleeves**  
#FNC2GS / 86 lbs.

**50' Package with 7 Posts and Ground Sleeves**  
#FNC2GS-50 / 30 lbs.

## Post & Ground Sleeves Packages

### Flex-Post Packs (Without Fencing)

Each kit includes Flex-Posts fitted with yellow safety caps and 3 gripper clips, yellow anti-sag fence rope and clips, and zip ties. Just add fencing! (150' requires 18, 50' requires 7).

**18 Pack** - #02862 / 39 lbs.

**7 Pack** - #02862-50 / 14 lbs.

### Ground Sleeve Packs

Each kit includes steel ground sleeves, debris plugs, and a driver insert tool.

**18 Pack** - #02863 / 20 lbs.

**7 Pack** - #02863-50 / 9 lbs.

## Individual Components

### Tuff-Fence

4'H - Fabric Only. Specify dark green, royal blue, scarlet red, or black.

**150' L** - #01876(?) / 27 lbs.

**50' L** - #01876-50(?) / 11 lbs.

**Flex-Post** (w/ 3 gripper clips & a safety cap)  
#02861 / 2 lbs.

**Ground Sleeve** (w/ red debris plug)  
#02832 / 2 lbs.

**Adjustable Gripper Clips** (pack of 18)  
#02826 / 1 lb.

**Safety Flex-Post Caps Yellow** (pack of 18)  
#02821 / 1 lb.

**Ground Sleeve Debris Plugs** (pack of 18)  
#02822 / 1 lb.

**Anti-Sag Fence Rope Yellow** (3/16" x 170')  
#02828 / 1 lb.

**Anti-Sag Rope Clips** (pack of 51)  
#02827 / 1 lb.

**Fence Ties** (pack of 100)  
#01646 / 1 lb.

## Post Driver

Makes installing the Flex-Posts simple and quick! Ground stop feature makes sure you install the post to the correct depth every time.  
#02849 / 12 lbs.




## Pilot Hole Tool

Recommended when installing in hard or rocky soils. Designed for use with both ground sleeves and/or posts.  
#02850 / 9 lbs.

#02861  
Flex-Post

#01876  
Tuff-Fence



#02832  
Ground Sleeve

#02826  
Adjustable  
Gripper Clip



#02821  
Yellow Safety  
Flex-Post  
Cap



#02822  
Ground Sleeve  
Debris Plug




#02828  
Yellow Anti-Sag  
Fence Rope



#01646  
Fence Ties



#02827  
Anti-Sag  
Rope Clip



These photos were taken at McCutchanville, IN Little League Field. These photos are of adjacent fields taken on the SAME DAY! As you can see, the photo on the left shows the field that utilized Mar-Co Clay Washington Ball Mix. This field was ready to be played on. The right photo shows the field that **DID NOT** use Mar-Co Clay products.



### Clay Track Surfacer

Clay Track Surfacer is a baked clay product designed for warning tracks and pathways. The characteristics of Clay Track Surfacer provides the proper texture and color to alert a player of an impending fence or structure. Sold by the bulk load or super sack.

#04622



### Diamond Clay Conditioner

Diamond Clay Conditioner is baked clay, crushed and screened into a uniform range of sizes less than 1/8". Diamond Clay Conditioner is specifically designed as an amendment to heavy clay fields, as it will improve drainage, texture, and color. Sold by the bulk load or super sack.

#04623



### Erie Ball Mix

Erie Ball Mix is a fine textured infield mix with a uniform range of particles in the 1/8" size range or less. Designed for good water management and a dependable playing surface, Erie Ball Mix is suitable for all levels of baseball and softball. Sold by the bulk load or super sack.

#04621



### Infield Clays

Infield Clay is a controlled blend of clay, sand, and aggregate available in 3 standard mixes: Firm, Standard, and Light. If you dictate a unique blend, we can provide a custom blend upon request. These mixes come in 2 particle sizes, 1/8" labeled the 15 Series and 3/16" labeled the 20 Series. Sold by the bulk load or super sack.

15 Series - #04624      20 Series - #04625



### Mound Clay

Mound Clay is a virgin, raw clay that is processed to a fine particle size. It is available in dry or moisturized form. Moisturized Mound Clay is firm and durable while being shaped and compacted, so it is useful for building and maintaining pitching mounds and batters' boxes. Dry Mound Clay can be used as a binding amendment in sandy, loose infield conditions. Sold by super sack.

Red - #04627      Gray - #04628



### Target Amendment Program

Target Amendment Program is a program that assesses your existing material and provides the exact amendment to enhance your material to meet the unique requirements of your field or organization. Sold by the bulk load or super sack.

#04626



### Washington Ball Mix

Washington Ball Mix is a blend of sand, silt, and clay with particle sizes less than 3/16". Washington Ball Mix provides a firm playing surface and is easy to maintain. It is safe for sliding, has good water management qualities, and provides a rich red color for high visibility and contrast. Sold by the bulk load or super sack.

#04620



### Home Plate & Mound Blocks

Packing clay blocks have long been the progressive groundskeeper's secret weapon. Save many back breaking hours repairing the mound and home plate areas! The solid clay bricks have no holes and yield a superior binding action of the clay, giving a more solid subsurface footing. Install blocks on the mound, in batter's boxes, catcher's areas or lead-off areas to drastically reduce wear. Simply excavate the area 2 3/4" deep, level and rake the base, tamp to compact, then install blocks side by side. Thoroughly wet the blocks to promote binding and when water is fully absorbed cover with existing material and let stand for 24 hrs. Blocks measure approximately 2 1/4"x4"x8". Each block weighs 6 lbs. and is sold in full skid quantities of 320. One skid will cover approx. 72 sq. ft. at 2 1/4" depth. **IMPORTANT: Ships motor freight and forklift required for unloading!**

**#01510 / 2000 lbs.**

### Home Plate & Mound Blocks Repair Kit

Fix those dreaded holes in front of the pitching rubber for good! Use it in any small area you must constantly repair. Great for batter's boxes, catcher's area, lead-off areas and on the mound. Each kit contains 10 blocks measuring 8" x 4" x 2 1/4", enough to cover a 2 1/2 sq. ft. area!

**#01422K / 59 lbs.**



### Pro's Choice Easy Mound Clay Bricks

No baseball field is complete without properly installed batter's boxes and pitcher's mound. Use Easy Mound Clay Bricks to form a durable, solid subsurface in batter's boxes and pitcher's mounds to give players solid footing and alleviate common wear problems. Preferred by coaches and groundskeepers at all levels of the game, Easy Mound is a valuable addition to every field and reduces maintenance season after season.

- Deep reddish brown color.
- Ideal for quick and easy building and repairing pitcher's mounds and batter's boxes.
- Compressed to a 4" x 8" x 2.5" brick form.
- Pre-moistened and easy to install. Requires less prep work and tamping.
- Packaged in poly bags to maintain moisture. 8 per bag; 38 bags (304 bricks) per pallet.
- Compatible with all Pro's Choice products.

**Per Bag - #04982 / 52 lbs.**

**Per Skid - #04982K / 1976 lbs.**



### Athletic Field Marking Compound

We carry 2 grades of brightness to meet every budget and need! Both grades of compound are made from the highest quality calcium carbonate (marble dust). Completely safe to players, uniforms, equipment, and turf. Conforms to all "safe-use" requirements of the consumer safety act, NCAA & NFHS official rules and all known Little League rules for athletic marking materials. Rule of Thumb: A 50 lb. bag of chalk will stripe approx. 300' L x 2" W x 1/16" D. Prices based on quantity.

#### Pure Line

Standard white compound we have sold for many years with excellent customer satisfaction. A budget-priced quality material.

**#01520 - Sixty-50 lb. bags per skid**

#### Diamond White Plus

Our Diamond White Plus field marker is whiter and brighter than any other material we have ever seen! We have compared it to Pure Line and three well known brands so you can see for yourself! We believe this to be the whitest compound available! Even visible on crushed limestone infields.

**#01521 - Sixty-50 lb. bags per skid**

**1. Remove excess water. The Diamond Pump makes this job easy!**



**2. Open the surface up to air and spread Diamond Dry.**



**3. Apply Diamond Dry evenly and rake in.**



### Diamond Dry

From "under water" to "play ball" in 45 minutes! Diamond Dry is biodegradable and the most cost-effective drying agent available! Less product to buy; clinically proven to be 3.3 to 3.9 times more absorbent than clay products. Less labor dollars spent; when properly applied, three 40 lb. bags of Diamond Dry will dry an entire infield! Requires less storage space, handling, and freight cost! Designed to spread quickly and easily, drying out the field or turf area in minutes. Works without a residue build-up or changing the soil structure. Add it all up and Diamond Dry is the clear cut choice! Don't be fooled by imitations with as much as 20% dirt and non-absorbent filler! Prices based on quantity.

**#01230 - Fifty-40 lb. bags per skid**

### Pro's Choice Easy Mound Packing Clay

No baseball field is complete without properly installed batter's boxes and pitcher's mound. Use Easy Mound packing clay to create a solid subsurface in batter's boxes and pitcher's mounds to give players solid footing and alleviate common wear problems. Preferred by coaches and groundskeepers at all levels of the game, Easy Mound is a valuable addition to every field and reduces maintenance season after season.

- Deep reddish brown color.
- Ideal for quick and easy building and repairing pitcher's mounds and batter's boxes.
- Processed to a fine texture for quick and easy installation.
- Moist clay is easy to form and shape while retaining firmness and durability.
- Compatible with all Pro's Choice products.

**#04803 - (54) 40 lb. bags per skid**





Designed to meet the challenges of both wet and dry infields. This unique, durable and porous granule reduces compaction, creating passageways for drainage and eliminates hard surfaces for truer bounces and safer play.



This premium infield conditioner keeps infields smooth, safe and resilient. Its smaller, specially sized granules have more surface area, absorb moisture faster, and red color makes it the perfect infield topdressing.



This premium topdressing is the only deep red conditioner that maintains its rich color. Professional groundskeepers use to achieve a championship look! Formulated to have a uniform particle size and increased durability.



Gray/Tan color, designed to meet the challenges of wet, dry, or compacted infields at a budget price. This unique durable granule helps create passageways for drainage and eliminate compaction for truer bounces and safer play.



Stay in the game with Rapid Dry drying agent. Super fast acting fine particle size granules are able to quickly wick away excess water from your infield and keep your games playing safely and without delay.



This uniquely blended blue-gumbo packing clay bonds together to create a durable sub-surface 1/2" below your wear areas. Eliminates dangerous dig-out holes that take time and money to repair. Pays for itself in one season



### Pro's Choice Conditioner

This calcined montmorillonite clay has been designed for the sports turf industry to save time, money and avoid costly delays. Pro's Choice Red has been screened to have a smaller, uniform particle size, keeping the particles incorporated in the soil, making it less likely to wash off by rain. Pro's Choice contains very little dust per bag and is easier on skin and uniforms because it has been tumbled to reduce sharp edges. Pro's Choice Red resists breakdown to keep working year after year.

#### Advantages for infields:

- Improves soil structure & prevents excessive compaction.
- Promotes superior water drainage because of its natural wicking ability. Play ball quicker and with less effort after a rain. Pro's Choice Red eliminates puddles and slick spots.
- Retains moisture to help keep playing surfaces virtually dust-free.
- Not sharp or abrasive like stone or shale products.
- Recommended 1 1/4 tons per 1000 sq. ft.

#### Advantages for turf areas:

- Promotes durable, resilient turf to handle the stresses of sports activity, while providing excellent water drainage.
- Reduces compaction and provides aeration.
- Increases root development.
- Retains water in the root zone longer.
- Recommended 50 lbs. per 200 sq. ft. on turf.
- Application rates of Pro's Choice Red can vary depending on current soil composition and clay content.

Manufacturer Recommended Quantities For Skinned Areas		
Field Size	Renovation to a 3" Depth	Conditioning to 1" Depth
Regulation BB	12 Tons (480 Bags)	6 Tons (240 Bags)
Softball Field	10 Tons (400 Bags)	5 Tons (200 Bags)
Little League	5 Tons (200 Bags)	2 tons (80 Bags)



### Red

Note: 1 cu. yd. = 900 lbs.  
**#01514 - (40) - 50 lb. bags/skid**  
**#01515 - Bulk Truck**



### Select

Premium performance Select features all the same great benefits as Pro's Choice Red, but is screened to have a smaller, more uniform particle size. Recommended to be used as a top dressing on conditioned fields. Its smaller size absorbs water more quickly and is preferred for sliding.  
**#01968 - (40) 50 lb. bags per skid**



### Grey

Same features and absorption rates as Pro's Choice Red, but in a gray/tan color. Perfect for turf areas! Great budget saver when red/orange color is not important.  
**#02381 - (40) 50 lb. bags per skid**



### Pro Red

Professional series conditioner, processed to have a Deep Dark Red color designed for red clay infields.  
**#04074 - (40) 50 lb. bags per skid**



### Pro's Choice Rapid Dry

A field drying agent consisting of fine granular calcined montmorillonite clay particles. Rapid Dry speeds the wicking and absorption of water while eliminating slick spots. Rapid Dry also stays in the soil and keeps working. Acts quickly to soak up puddles and make fields playable.

**#01513 - (40) 50 lb. bags per skid**



### Pro's Choice Infield Guards

Keep your infield material and conditioner from being washed into the outfield during off-season due to harsh weather and lack of maintenance. Pro's Choice



Infield Guards create a flexible 6" barrier that will keep the infield material from blowing into the outfield grass. Each guard is 6" high and 8' long with grommets and clips on each end. Can easily be installed by a single person. Simply clip the guards together and stake down around the edge of the skinned area using (3) 6" HD Stakes per guard (not included.) A 90' baseline with a regulation arc will need about 500' of infield guards. Each bale includes (4) 8' long guards.

**#04954 / 6 lbs.**

**HD Stakes - #01604 / 1 lb.**



Excavate area.



Tamp in Pro Mound.



Finish off with 1/2" dirt!

### Pro Mound

A unique blue gumbo clay that bonds to form a solid subsurface base at the mound and batter's box area. Allows players to dig in for footing without creating large holes. Quick and easy to install requiring only a shovel, rake, tamp, and water. Extremely durable, will remain firmly intact for many years. Simply excavate area to appropriate depth, fill with Pro Mound, wet, tamp between layers until 1/2" from finished grade and cover with existing infield material. Note: Bags and blocks can be used together to ease installation. Approximately one skid of bags will do the mound (around the rubber and the landing area), the center of the batter's boxes and the catcher's area.

**#01512 - (40) 50 lb. bags per skid**



## Locker Room, Sideline, & Dugout Benches

We offer a wide selection of benches for every application, indoor and out. Our manufacturer has over 30 years of experience in bench fabrication, so rest assured you will be getting the highest quality available. Compare our benches to other suppliers and you will find our quality to meet or exceed any other bench in the country. We only sell all-aluminum benches (including the pedestals) so you never have to worry about maintenance, rust, or corrosion. Features a 5-year manufacturer's warranty against material defects and workmanship, and a 25-year guarantee on the anodized finishes. Assembly required. **Ships MOTOR FREIGHT!**


### General Bench Specifications:

**Seat Planks & Back Rest** - 10"W aluminum 6063-T6 alloy, with 204R1 anodized finish. Features a ribbed non-slip surface and minimum .078" wall thickness.

**Understructure** - Mill finished aluminum, 6061-T6 alloy with all joints mig welded.

**Channel End Caps** - Fitted aluminum for all ends. Eliminates sharp edges.

**Capacity** - 7'6"L seats (5), 15'L seats (10), 21'L seats (14), and 27'L seats (18).



### Benches w/o Backs

**Surface Mount  
Portable/Semi-Permanent**  
**7'6"** - #01789 / 23 lbs.  
**15'** - #01790 / 40 lbs.  
**21'** - #01941 / 60 lbs.  
**27'** - #05011 / 75 lbs.

**In-Ground Permanent**  
**7'6"** - #01791 / 23 lbs.  
**15'** - #01792 / 40 lbs.  
**21'** - #01942 / 60 lbs.  
**27'** - #05012 / 75 lbs.

### Benches w/ Backs

**Surface Mount  
Portable/Semi-Permanent**  
**7'6"** - #01793 / 46 lbs.  
**15'** - #01794 / 86 lbs.  
**21'** - #01943 / 116 lbs.  
**27'** - #05009 / 155 lbs.

**In-Ground Permanent**  
**7'6"** - #01795 / 46 lbs.  
**15'** - #01796 / 86 lbs.  
**21'** - #01944 / 116 lbs.  
**27'** - #05010 / 155 lbs.

### Bench Indoor Conversion Pads

Pads easily mount to the legs of your portable benches to protect flooring.

**4 Pad Set for 7'6" Benches** - #02922 / 5 lbs.

**6 Pad Set for 15' Benches** - #02923 / 6 lbs.

**8 Pad Set for 21' Benches** - #02924 / 7 lbs.



### Player Bench with Shelf

A must have for every dugout. The top shelf provides a 19" wide storage area for helmets, gloves, personal gear, and many other items. Same great construction as all our benches. Available in surface mount footing for portable/semi-permanent installation only. Review the general bench specifications for additional details. Some assembly required.

**7'6"** - #03777 / 90 lbs.

**15'** - #02560 / 150 lbs.

**21'** - #02561 / 206 lbs.

**27'** - #03778 / 280 lbs.



### Scorer's Table

Provides a convenient and comfortable location for scorekeepers. All-aluminum frame and plank construction offers years of trouble-free service and will never rust. Single 2" x 10" seat plank and double plank table top provide an extra wide work surface. Features a clear anodized aluminum finish. Length is 7.5 ft. Some assembly required. #03779 / 80 lbs.

### Deluxe Aluminum Picnic Tables

These aluminum picnic tables are maintenance-free and long lasting. Picnic Tables feature a 2'4" wide clear anodized aluminum top, and two 2x10 clear anodized bench seats all resting on a 2" square tube aluminum frame. Tables are available in 6' and 8' lengths in regular and wheelchair accessible. Square tables also available with a 48" or 38" top.

**6' Table** - #04942 / 91 lbs.

**8' Table** - #04943 / 105 lbs.

**6' Wheelchair Accessible** - #05013 / 105 lbs.

**8' Wheelchair Accessible** - #04944 / 105 lbs.

**38" Square Table** - #05014 / 100 lbs.

**48" Square Table** - #05015 / 129 lbs.



Please be advised, state and local building code requirements vary greatly throughout the country. It is the purchaser's responsibility to comply with any and all codes. White Line Equipment Company cannot assume responsibility or liability for code compliance. Please consult your local building code compliance officer for applicable requirements. If these bleachers do not meet your particular requirements, please call for a price quote.

## Bleachers

Our manufacturer has over 35 years of experience in bleacher manufacturing, so rest assured, you will be getting the highest quality available. Compare our bleachers to other suppliers and you will find our quality meets or exceeds any other bleachers in the country. We only sell all-aluminum bleachers (including the guard rail system framing) so you never have to worry about maintenance, rust or corrosion. Features a 5 year manufacturer's warranty against material defects and workmanship, and a 25 year guarantee on the anodized finishes.

### General Bleacher Specifications:

**Understructure** - Mill finished, 2" x 1.5" x 3/16" aluminum 6061-T6 alloy angle. Fully welded to eliminate the liability of bolts working loose.

**Seat Planks** - 12" wide Aluminum 6063-T6 alloy with 204R1 anodized finish. Features a ribbed, non-slip surface and minimum .078" wall thickness.

**Foot Planks** - Mill finished aluminum 6063-T6 alloy. Features a ribbed, non-slip surface and minimum .078" wall thickness.

**Channel End Caps** - Fitted aluminum for all open ends. Eliminates sharp edges.

**Guard Rail System** - Fully enclosed starting at seat row three and above. 42"H two line guard rail system with 9 gauge wire mesh. Attached with mill-finished aluminum angle. Guard rail is standard on all bleachers five rows or higher, except low rise bleachers which do not exceed 30"H.



### Bleachers w/o Guard Rail System

These bleachers do not exceed 30", therefore do not require a guard rail system. Available in a 3-row or 4-row low-rise design to seat more people without the additional expense of a guard rail system. Feature 12" wide seat planks and 10" single foot planks. The 1st seat height is 10 1/2", with a 24" depth per row. There is a 6" rise per row to keep the top row height under 30", special 12"W seat planks, and single foot planks. Meets IBC safety codes. Ships knocked down. Site assembly required. Review the general bleacher specifications for additional details.

Part #	Rows	L x H x D	# of Seats	Weight
#01780	3-LR	15' x 22 1/2" x 4'11 1/2"	30	204 lbs.
#01781	3-LR	21' x 22 1/2" x 4'11 1/2"	42	284 lbs.
#01782	3-LR	27' x 22 1/2" x 4'11 1/2"	54	364 lbs.
#02557	4-LR	15' x 28 1/2" x 6'11 1/2"	40	560 lbs.
#02558	4-LR	21' x 28 1/2" x 6'11 1/2"	56	733 lbs.
#02559	4-LR	27' x 28 1/2" x 6'11 1/2"	72	785 lbs.



**Handicap Bleachers Available.**  
Call for Pricing.



### Deluxe Bleachers

Deluxe Bleachers offer the highest level of safety, comfort, and convenience for spectators. Conforms to all building codes nationwide including IBC, NFPA, and the Consumer Products Safety Commission. Deluxe Bleachers available in additional sizes. Call for pricing. Features: deluxe 12" wide seat planks, double foot planks and risers on all rows, double riser on top row, guard rail system that is fully enclosed starting at seat row three and above, and a vertical aisle and hand rail. (Note: 15' long Deluxe Bleachers have an aisle on the end, and 21', 27', and 33' long deluxe bleachers have an aisle located in the center.) Ships knocked down. Site assembly required. Review the general bleacher specifications for additional details.

Part #	Rows	L x H x D	# of Seats	Weight
#02885	5	15' x 7'11 1/2" x 9'6 1/2"	42	671 lbs.
#02886	5	21' x 7'11 1/2" x 9'6 1/2"	54	885 lbs.
#02887	5	27' x 7'11 1/2" x 9'6 1/2"	74	1322 lbs.
#02888	5	33' x 7'11 1/2" x 9'6 1/2"	94	1085 lbs.
#02889	10	15' x 11'3 1/2" x 19'6 1/2"	82	1587 lbs.
#02890	10	21' x 11'3 1/2" x 19'6 1/2"	104	2104 lbs.
#02891	10	27' x 11'3 1/2" x 19'6 1/2"	144	2576 lbs.
#05008	10	33' x 11'3 1/2" x 19'6 1/2"	184	3360 lbs.

Please be advised, state and local building code requirements vary greatly throughout the country. It is the purchaser's responsibility to comply with any and all codes. White Line Equipment Company cannot assume responsibility or liability for code compliance. Please consult your local building code compliance officer for applicable requirements. If these bleachers do not meet your particular requirements, please call for a price quote.

## Transportable Bleachers

Durable, light-weight, transportable bleachers, with all aluminum construction. Standard features include an aluminum angle understructure with an 8" rise and a 24" run, double 2x10 footboards, risers, 2x10 clear anodized seat planks, vertical aisle, and chainlink guardrail system. Our unique transport option adds wheels and a tongue to these units allowing you to easily move seating around your facility. **NOTE: You have to purchase the Transport Kit (sold separately below) for these bleachers to be transportable.** Please note that these units are not intended for over-the-road use. Designed in accordance with the IBC 2009, and ICC 300-2007 building codes.

### General Bleacher Specifications:

**Understructure** - Mill finished, 2" x 1.5" x 3/16" aluminum 6061-T6 alloy angle. Fully welded to eliminate the liability of bolts working loose.

**Seat Planks** - 10" wide Aluminum 6063-T6 alloy with 204R1 anodized finish. Features a ribbed, non-slip surface and minimum .078" wall thickness.

**Foot Planks** - Mill finished aluminum 6063-T6 alloy. Features a ribbed, non-slip surface and minimum .078" wall thickness.

**Channel End Caps** - Fitted aluminum for all open ends. Eliminates sharp edges.

**Guard Rail System** - Fully enclosed starting at seat row one and above. 42"H two line guard rail system with 9 gauge wire mesh. Attached with mill-finished aluminum angle. Guard rail is standard on all bleachers four rows or higher, except low rise bleachers which do not exceed 30"H.




Part #	Rows	L x H x D	# of Seats	Weight
#04936	5	15' x 7'11½" x 9'6½"	42	970 lbs.
#04937	5	21' x 7'11½" x 9'6½"	54	1100 lbs.
#04938	5	27' x 7'11½" x 9'6½"	74	1350 lbs.
#05006	10	15' x 11'3½" x 19'6½"	82	1970 lbs.
#04939	10	21' x 11'3½" x 19'6½"	104	2350 lbs.
#04940	10	27' x 11'3½" x 19'6½"	144	2850 lbs.

### Transport Kit

This Transport Kit is what makes these bleachers transportable. Only one Transport Kit is required for any number of bleachers. Each kit includes two wheel assemblies and one towing tongue. Wheel Kit only works on these transportable bleachers.

**5-Row Kit**  
#04941 / 50 lbs.

**10-Row Kit**  
#05007 / 68 lbs.



## Tip N' Roll Bleachers

Highly portable, lightweight aluminum design is excellent for indoor and outdoor temporary seating. Easily tips on its non-marring casters for storage and transport. Includes rubber foot pads to prevent damage to your flooring. These bleachers do not exceed 30", therefore do not require a guard rail system. 1st seat height is 10½", with a 6" rise per row, and a 24" depth per row. Features 12" wide seat planks and single foot planks. Also includes a set of stabilization fixtures to prevent overturning when in storage position. The lower height meets IBC safety codes. Ships knocked down. Site assembly required. Review the general bleacher specifications for additional details.


Part #	Rows	L x H x D	# of Seats	Weight
#01945	3	7'6" x 23½" x 5'5½"	15	113 lbs.
#01946	3	15' x 23½" x 5'5½"	30	237 lbs.
#01947	3	21' x 23½" x 5'5½"	42	321 lbs.
#02498	3	27' x 23½" x 5'5½"	54	411 lbs.



Please be advised, state and local building code requirements vary greatly throughout the country. It is the purchaser's responsibility to comply with any and all codes. White Line Equipment Company cannot assume responsibility or liability for code compliance. Please consult your local building code compliance officer for applicable requirements. If these bleachers do not meet your particular requirements, please call for a price quote.





Constructed from the highest quality spike-proof Bermuda Pro turf! Great for outdoors as a throwdown mat to drastically reduce maintenance in high wear areas, or can be glued down to concrete or asphalt for a more permanent installation. Also use it indoors to protect flooring. Great for batting tunnels, dugouts, coaches' boxes, locker rooms, on-deck circles, bull pens, and all other wear areas. Constructed from an extremely dense 36 oz. pile weight (overall turf measures approximately 3/4" thick). Engineered with a spring set "coil" shape that prevents cleats from making contact with the primary backing, and provides a softer, more realistic feel while outlasting virtually every other 36 oz. turf available. Our mats feature a heavy-duty, 5MM Urelon foam cushion backing with scrim to protect the padding from abrasion! **We sell only 1st quality turf! Watch out for used turf, defective production runs, and the many lightweight 36 oz. look-a-likes that will not hold up to pivoting cleats!**



**A** Shown with Painted Home Plate.



**Shown with Permanent Turf Home Plate.**



**A Premium Home Plate Mats**

All of our premium home plate mats feature regulation positioned, permanent tufted white turf batter's box lines! Now available with 3 home plate options.

**Permanent Turf Home Plate:** features a white turf "inlaid" home plate which never requires paint touch-ups.

**6' x 12' Baseball - Green Color**  
#04046 / 60 lbs.

**6' x 12' Baseball - Clay Color**  
#04047 / 60 lbs.

**Painted Home Plate:** features a factory painted home plate positioned to regulations.

**6' x 12' Baseball - Green Color**  
#01365 / 60 lbs.

**6' x 12' Baseball - Clay Color**  
#03657 / 60 lbs.

**Throw-Down Home Plate Version:** Includes a durable all rubber 1" thick home plate, allowing you to rotate your mat to adjust for wear.

**6' x 12' Baseball - Green Color**  
#04048K / 60 lbs.

**6' x 12' Baseball - Clay Color**  
#04049K / 60 lbs.

**Home Plate Touch-Up Stencil Kit**

Great for older mats with a faded home plate. Includes stencil and one can of spray paint.  
**#03256K / 5 lbs.**

**B Batter's Box Mats**

Fast and economical batter's box protection. Prevents holes!

**4' x 6' Baseball**  
#01376 / 20 lbs.

**3' x 7' Softball**  
#01601 / 18 lbs.

**3' x 5' Practice Box**  
#04474 / 13 lbs.

**C Pitching Mats**

Prevents expensive and time-consuming mound maintenance!

**6' x 12' Jumbo Size**  
#01374 / 60 lbs.

**4' x 12' Standard Size**  
#01375 / 40 lbs.

**D On-Deck Circles**

Turf green color is great for permanent installations, or thrown down for temporary use.

**6' Diameter** - #01377 / 24 lbs.  
**5' Diameter** - #03254 / 16 lbs.  
**4' Diameter** - #02377 / 11 lbs.

**Colored On-Deck Circles**


Special colored turf adds some sparkle to your field. Available in clay, royal, red, white, black, orange, and yellow. Allow additional lead time for delivery. Sold in 6' dia. pairs only. Specify color!  
**#01377(?) / 48 lbs.**

**E Batting Practice Mats**


Eliminate holes in the batter's box caused by players digging in. Can be used temporarily on the field during practice or buried for permanent applications. Great for cages! Extra HD 4'x6' black rubber. Approximately 3/8" thick.  
#01772 / 56 lbs.

**F Bullpen Mat**

Great for bullpen protection and indoor practice. Includes stencil and one can of spray paint. Large 12'x12'.  
**#BPPKG / 125 lbs.**



We carry a wide selection of turf to meet any application and budget! All styles feature a stabilized woven polypropylene primary backing, 24 oz. pre-coat, and either a 1MM natural rubber or a Urelon foam in 3MM or 5MM as a cushioned secondary backing. The 1MM backing has a firmer feel and excellent durability for outdoor applications. The 3MM and 5MM backing offers a higher level of protection and cushioning against falls. Get the exact length needed. We never charge for overrun material. Minimum order 10' long. Custom widths available.



## Bermuda Series Turf

Now available in 4 different pile heights! All grades feature an extremely dense turf pile with a unique spring set monofilament "coil" design that is very durable, and helps prevent cleats from making contact with the primary backing which will destroy turf over time! This special design will outlast straight pile turf of the same weight many times over. All 4 grades feature the same raw materials and construction, and look very similar. The only difference is the height of the pile (higher piles will last longer than shorter pile lengths).

### A Bermuda Super (15' wide roll)

Our most durable Bermuda turf available! Features 42 oz. per sq./yd., and a turf fiber height of  $\frac{5}{8}$ ". Designed for high wear areas and regular pivoting cleats! Provides a soft, natural feel. Completely spike-proof.

12'W - With 1MM Pad - Pine Color - #03231


### B Bermuda Pro (12' & 15' wide rolls)

Our second most durable Bermuda. Used for our stance mats! Features 36 oz. per sq./yd., and a turf fiber height of  $\frac{1}{2}$ ". Designed for high wear areas and pivoting cleats! Provides a soft, natural feel. Completely spike-proof.

12'W - With 5MM Pad - Pine Color - #02378

15'W - With 5MM Pad - Spring Color - #04378

15'W - Unitary No Pad - Spring Color - #04292



## F Batting Cage Turf Specials

Economical and convenient way to order turf for your batting tunnel. Each option is discounted below the normal square foot price to offer a better value. Refer to the corresponding roll turf for specifications.

### Tunnel Turf - Cage Special - FL Green Color - 36oz. - 3MM Pad

Special high quality budget priced turf pre-cut to size for tunnels (not available by the sq/ft). Rugged 36 oz. straight turf fiber (similar to Power Turf).

70'L x 15'W Roll - #04494 / 515 lbs.

55'L x 15'W Roll - #04495 / 405 lbs

### Bermuda Pro - Cage Special - Spring Green Color

36 oz. - 5MM Pad

70'L x 15'W Roll - #04381 / 584 lbs.

55'L x 15'W Roll - #04382 / 459 lbs.

### Bermuda Pro - Cage Special - Spring Green Color

36 oz. - Unitary No Padding

70'L x 15'W Roll - #04189 / 467 lbs.

55'L x 15'W Roll - #04190 / 367 lbs.

### Bermuda All Sport - Cage Special - Pine Green Color

24 oz. - Unitary No Padding

70'L x 12'W Roll - #04385 / 269 lbs.

55'L x 12'W Roll - #04386 / 212 lbs.

### All Sport II - Cage Special - Pine Green Color

24 oz. - 3MM Pad

70'L x 12'W Roll - #04383 / 314 lbs.

55'L x 12'W Roll - #04384 / 246 lbs.



### C Bermuda All Sport (12' wide rolls)

Features 24 oz. per sq./yd., and a turf fiber height of  $\frac{1}{4}$ ". A great option for high use areas without cleats, indoor facilities, cages, and light cleat traffic (not pivoting cleats).

12'W - With 5MM Pad - Pine Color - #02770

12'W - Unitary No Pad - Pine Color - #03677

### D All Sport II (12' wide rolls)

Durable budget-priced alternative to Bermuda! Same "coil" design, but different turf materials! Features: 24 oz. per sq./yd., and a turf fiber height of  $\frac{3}{8}$ ". Great for indoor facilities, batting cages, and light cleat traffic (not pivoting).

12'W - With 3MM Pad - Pine Color - #04379

### E Power Turf (12' wide rolls)

High quality, budget-priced with a straight turf fiber. Designed for facilities, cages, high street shoe traffic, and occasional cleat traffic (not pivoting cleats or frequent traffic). Features 32 oz. per sq./yd., and a turf fiber height of  $\frac{1}{2}$ ".

12'W - Unitary No Pad - Austral Color - #04380




## G Pro-Gold Pitching Mats

Pro-Gold Pitching Mats are the perfect mat for both indoor and outdoor use. Use them on the field during BP to prevent dig out holes, in the gym during practice, or in your batting cage to protect your turf. These mats are made of a durable  $\frac{1}{4}$ " thick black rubber, and feature a regulation 24" rubber that is permanently attached. The 8' model provides a 7'6" stride area in front of the pitching rubber. The 10' model provides an 8'3" stride area in front of the pitching rubber and a 15" area behind the rubber. This provides a level area on both sides of the rubber for initial throwing stances and step offs.

8'L x 3'W - #04842 / 35 lbs.


10'L x 3'W - #04843 / 42 lbs.



**Weighted Bottom Rope**



**Built-In Net Saver**



**Entry Flap**

**Deluxe Features - All Cages**

Black 1 1/4" baseball mesh hung on the square for minimal sag and superior appearance. Nets are injected with weather and UV-inhibitors during the extrusion process creating superior weather protection, UV-resistance, and waterproofing. The protection is inside and out, not just coated. Heavy-duty "S" poly ropes are woven and sewn around the top perimeter, down the top center length to minimize sag, and down all 4 corners. Knots are tied every mesh to secure seams and attach rope borders, providing durability. Many other nets are only tied every 6' to 8'. Bottom rope border is included for extra durability and improved ball trapping. All our nets are hung on the square to minimize sag!



**Premium Features - Select Cages**

**Reduced Seam Construction** - All our nets are constructed with the revolutionary reduced seam technique. Others typically have 5 separate sections of netting joined together, creating 8 seams. More seams equal more possible failure points. We now offer a 1-piece (best available) on our super, varsity, and basic series tunnels or a 3-piece construction on the rest.



**Weighted Bottom Rope** - Lead core rope around the bottom perimeter reinforces the cage bottom, prevents blowing in the wind, and traps balls inside the net.

**Entry Flap** - Safe, overlapping design will not allow balls to escape. Bordered corner slit is fully covered by an extra 3' of back panel netting that wraps around the corner and attaches to the side of the tunnel. Yellow border ropes indicate entry area. Steel snaps and rings are installed on the bottom to secure the flap.

**Built-In Net Saver** - Absorbs the impact and protects the high wear area behind the batter to increase the life of your net.

We have improved and expanded our selection to offer you 5 grades of netting to meet the demands of every level of play, with prices to meet any budget. Regardless of which grade you choose, rest assured that you will be getting the highest quality tunnel.

**Collegiate Series Batting Tunnels**

A great blend of durability and affordability. Constructed from #21 knotted nylon with a 210 lb. breaking test. Includes all deluxe features. For youth through college applications. Custom sizes available.

**70'L x 14'W x 12'H - #01237CS / 101 lbs.**

**70'L x 12'W x 12'H - #02491CS / 95 lbs.**

**55'L x 14'W x 12'H - #02493CS / 84 lbs.**

**55'L x 12'W x 12'H - #03291CS / 79 lbs.**



**Pro Series Batting Tunnels**

For people who do not need our premium features but want a high performance tunnel. Constructed from #36 knotted nylon with a 320 lb. breaking test. Includes all deluxe features. For youth through commercial applications. Custom sizes available.

**70'L x 14'W x 12'H - #01716PS / 110 lbs.**

**70'L x 12'W x 12'H - #02492PS / 104 lbs.**

**55'L x 14'W x 12'H - #02494PS / 93 lbs.**

**55'L x 12'W x 12'H - #03290PS / 88 lbs.**



**Super Series Batting Tunnels**

The highest quality available. Constructed from #36 knotted nylon with a 320 lb. breaking test. Includes all deluxe and premium features. For youth through commercial applications.

**70'L x 14'W x 12'H - #02817SS / 145 lbs.**

**55'L x 14'W x 12'H - #02820SS / 121 lbs.**



**Basic Series Batting Tunnels**

A great cage for the backyard or moderate use programs. Constructed from #21 twisted knotted polyethylene with a 120 lb. breaking test. Includes all deluxe and premium features. For youth through high school applications.

**70'L x 14'W x 12'H - #01189BS / 80 lbs.**

**55'L x 14'W x 12'H - #01194BS / 62 lbs.**





**Varsity Series Batting Tunnels**

Upgraded design creates a great combination of durability and affordability. Constructed from #36 twisted knotted polyethylene with a 180 lb. breaking test. Includes all deluxe and premium features. For youth through college applications.

**70'L x 14'W x 12'H - #01191VS / 122 lbs.**

**55'L x 14'W x 12'H - #01195VS / 106 lbs.**





**A Pro-Gold Tunnel Frames**

Universal, semi-permanent design works with any brand netting. Designed for nets that are 12' high and up to 14' wide. Frame sections are pre-drilled for 12' wide and 14' wide nets. Each system comes complete with frame sections, ground sleeves, and an installation kit that includes eyebolts, turnbuckles, cable clamps, steel cable, and steel spring clips. Heavy-duty construction features 12 gauge end sections and 16 gauge middle sections made from round 1.9" dia. galvanized steel tubing for superior strength and durability. Heavy-duty ground sleeves are 30" long and made from round 2.375" dia. 9 gauge galvanized steel tubing. Each frame section is 16' wide (on center) to allow for around 1' of spacing between a 14' wide net and the frame, preventing ball deflection. Middle sections are taller than the end sections and utilize long eye bolts to create additional spacing between the net and the top of the frame, preventing ball deflection. The ceiling height is set to provide 6"-9" of net on the ground to trap balls from coming out.

**(3) Section Frame** (for 55'L tunnels)

**#05039K**

**(4) Section Frame** (for 70'L tunnels)

**#05040K**

**B Batting Tunnel Netting Installation Kits**

Save big with these kits!

**Outdoor Installation Kit**

Includes 250' of 1/8" cable, (6) standard turnbuckles, (6) 5" eye bolts, (6) 8" eye bolts, (12) 1/8" cable clamps and (70) heavy-duty steel netting clips. Provides enough hardware to install three lines on up to four frame sections and up to 80' long tunnel nets. The shorter 5" eye bolts mount directly to the end frame sections and are the attachment points for the turnbuckles. Two cable clamps are provided for extra holding power to secure each turnbuckle to the cable. The longer 8" eye bolts are used to support the cable on the middle section(s). The extra length creates a gap between the frame and the net, preventing ball deflection directly off the frame. Simply attach the net to the cables using the spring clips to finish installation.

**#02265K / 17 lbs.**

**Indoor Installation Kit**

Includes 500' of 1/8" cable, (6) standard turnbuckles, (12) 1/8" cable clamps, and (85) heavy-duty steel netting attachment clips. For wall to wall gymnasium or hitting facility installations. Provides enough hardware to install three lines up to 165' in length. Two cable clamps are provided for extra holding power to secure each turnbuckle to the cable. Turnbuckles attach to wall mounts, which are not included. Simply attach the net to the cables using the spring clips to finish installation. The clips slide easy on the cables for quick setup and teardown in multi-use facilities.

**#02266K / 23 lbs.**

**C Netting Backdrops & Cage Dividers**

Multi-use netting designed to section off tunnels for multiple training stations, protect high wear areas like behind the batter, make a quick backdrop or hitting station, or to cover or repair worn sections of netting. All nets are weather- and UV-treated and include a poly rope perimeter border for hanging.

**Baseball/Softball 1 1/4" Mesh**

Black #36 nylon (320 lb. breaking test)

**12' x 12' - #01351 / 8 lbs.**

**12' x 14' - #01352 / 9 lbs.**

**14' x 14' - #01353 / 10 lbs.**

**D Batting Tunnel Backdrop**

Heavy-duty vinyl backdrop is designed to protect the netting behind the batter. Adds years to the life of your net. Grommets are placed around the perimeter for convenient hanging. Measures 5' x 5'. Call for a quote on custom sizes!

**Yellow - #01731 / 15 lbs.**

**Blue - #01731-B / 15 lbs.**

**Green - #01731-G / 15 lbs.**

**E Netting Repair & Lacing Kits**

Great for repairing holes and lacing netting to framework. Each kit includes a spool of twine and a lacing needle. Available in 3 grades of twine.

**Kit w/ #72 - 250' Green Braided**

**#03741K / 2 lbs.**

**Kit w/ #60 - 300' Black Twisted**

**#02213K / 2 lbs.**

**Kit w/ #36 - 500' Green Twisted**

**#03760K / 2 lbs.**

**Deluxe Repair Kit**

Great for patching. Includes 8' x 8' piece of black #36 treated nylon netting, 300' spool of #60 twine, and a lacing needle.

**#02810K / 4 lbs.**

**Lacing Needle**

**#03682 / 1 lb.**

**Repair Net**

**8' x 8'**

**#36 Nylon**

**#03738 / 3 lbs.**





# Osborne™

## INNOVATIVE PRODUCTS

Let us show you why Osborne Screens are the most INNOVATIVE, and SIMPLY THE BEST!



### A Highest Quality Netting

Our netting is constructed from virgin Dupont® Nylon, which is then loomed here in the US and hand-inspected as it is produced, creating the finest 1 3/4" mesh, #72 braided, knotted netting. All Osborne netting is then weather-treated and UV-stabilized in a proprietary process that coats and penetrates the netting, providing an extremely durable and long-lasting net that is not stiff or abrasive. With nearly 700 lbs. of tensile strength, and a much higher abrasion resistance than twisted nylon of the same gauge, it is easy to see why our netting is superior!

### B Woven To The Frame

The signature Osborne process of weaving the netting directly to the frame during manufacturing assures you that the netting will always stay tight, secure, and offer you years of unparalleled service.

### C Heavy Gauge Flo-Coat® Galvanized Steel Frame

Superior Flo-Coat® galvanized finish provides the best looking tube with maximum corrosion and rust-resistance available. All Osborne Screens utilize a combination of 1 3/8", 1 1/2" and 1 3/4" tubing engineered to telescope, hinge, and swivel, making them truly innovative, useful, and easy to knock down and store.

### D Collapsible Frames

Most Osborne screens feature collapsible frames that allow the top half to telescope down inside the lower half, reducing the height by nearly 50%. This makes transporting the screens easier, allows them to fit through normal doors, and provides many more storage options than fixed sized screens. No tools are required to raise or lower the screen. Simply loosen the wing screws on each side, adjust the height, and retighten the wing screws. It's that easy!

### E Swivel & Telescoping Legs



1. Wing screws loosen by hand allowing the leg extension to slide out and the top frame section to slide up.
2. Larger pipe in our legs make them heavier than the rest of the frame, providing for a stronger and more stable base. Legs also feature welded steel support braces.
3. Legs swivel and fold under the screen, making a slim profile for compact storage.



### F Transportable

Osborne screens easily roll on and off the field with our optional wheel kit that now features a wider, more stable base. Porta Screens come with optional tote bags that make travel more convenient. Small enough to take on road trips in the car or on the bus.

### G Stackable

No other screens stack as well as the Osborne screens. Most of our screens collapse down to approximately 4' high by a maximum of 8' wide and a compact 3" depth. Stack up to 8 screens in just 2' of space!





### A Head Saver

- Protective "roof" that virtually eliminates injury.
  - Measures 40"W x 37"H and angles 30°, providing head room and space.
  - Twin J-style hooks spaced 18" apart, attaching to the top of your L-Screen, and sliding support arms that adjust to fit your L-screen, and lock into place.
  - Heavy-wall 1 $\frac{3}{8}$ " dia. Flo-Coat® galvanized steel tubing.
  - Double layer slip-on pillow case style net.
  - Net is black and made from durable knotless twine.
- #A620 / 17 lbs.

### B Hip Saver Triangle Attachment

- Unique clip-on design easily attaches to any Osborne "L" style screen.
  - Constructed from high-impact polycarbonate tubing with shock cords and brass clips.
  - Measures 19" x 17".
- #AS113 / 1 lb.

### C Adjustable Strike Zone Isolator

- Create four different size targets within the strike zone for improved focus and aim.
  - Horizontal bar adjusts up and down.
  - Center vertical cord adjusts right to left.
  - Constructed from high-impact polycarbonate tubing and shock cord.
  - Only fits S105 and S110.
  - Yellow color for better optics.
- #AS111 / 1 lb.

### D Universal Port Hole Cover

- Convert a softball pitching screen into a fielding screen in seconds, allowing for dual use. Cover the entire cutout or just a portion to reduce the hole size for pitching machines.
  - Measures 32"W x 50"H.
  - Constructed from #72 braided nylon with a shock cord perimeter that stretches to hook to the net.
- #ASB103C / 2 lbs.

### E Machine Feeder Screen

- Protects the person feeding the pitching machine from ball ricochet off the machine.
  - Measures 2'W x 3'4"H and features our signature Osborne construction.
  - Ships fully assembled and includes mounting brackets for the L-top.
  - The hinged design allows it to be taken on and off in seconds.
- #AS114 / 16 lbs.

### F Transport Wheel Kit

- 10" Pneumatic wheels for smooth rolling on natural grass.
  - Attaches with two clamps.
  - Fits any screen with up to 1 $\frac{5}{8}$ " dia. frame.
- #ASW002 / 14 lbs.

### G Porta Screen Deluxe Tote Bag

- Designed to fit Porta Screen models S110, S115, and SB116.
  - Constructed from 1200 denier polyester with a heavy-duty zipper and double reinforced seams.
  - Includes nylon webbing handles & a detachable, padded shoulder strap.
- #ASBAG / 5 lbs.


### H Slip-On Pillow Case Style Replacement Nets

Designed to make netting replacement quick and easy! Eliminates the need to disassemble your screen frame to install the netting. Pillow case design slips over the frame in minutes, creating a double layer of netting protection. Includes a lacing cord to close up the bottom and two netting clips with self-tapping screws to secure the netting to the top corners. Constructed from high quality #60 twisted nylon (1 $\frac{3}{4}$ " weather-treated black mesh). (Note: Certain features related to transitioning the screen into and out of storage mode are not as effective, and socks and cutouts vary in design, compared with original netting, due to the nature of slip-on netting.)

### I "Original Equipment" Net Replacement Kits

These replacement net kits come with all the components necessary to refurbish your screen with our original #72 braided Dupont nylon green netting. Each kit includes netting, hardware, and ropes that are specifically made for each model. Sock nets and any screen with a cutout will come with those features built-in. Detailed instructions are provided. Please Note: Replacing the netting to original condition is only recommended for those with moderate to advanced skills in working with netting and tying knots, otherwise we recommend the pillow netting. Some models do not have original netting available (Porta Screens and the Big-Sock). Replacement L-top netting includes only the net and must be laced on all four sides with included twine (Original L-top netting is woven on the frame prior to assembling the frame). As an alternative, complete L-tops are available already assembled along with pillow nets.

# Baseball Pitching Screens



S106DK



S107DK



Flips left to right. No tools required!



S106DK shown with optional Hip Saver.

## Osborne Flip-Top "L" Pitcher's Screens

- Available in 6'6" or 8' widths.
- Deluxe double netting.
- "L" top removes, and legs telescope and swivel under, creating a flat compact screen. This allows for easy transport through doors and minimal storage needs.



ACCESSORIES (see page 35 for details)



### 7'H x 6'6"W

Base: 4'H x 6'6"W; Top: 3'H x 3'3"W  
Storage Size: 4'H x 7'2"W x 3"D  
#S106DK / 56 lbs.

### Original Equipment Net Replacement Kit

"L" Top - #SN343T / 3 lbs.  
Base - #SN355DBL / 5 lbs.

### Slip-On Pillow Case Style Replacement Nets

"L" Top - #SPCN343T / 3 lbs.  
Base - #SPCN355 / 5 lbs.

### Complete "L" Top Replacement

#S121TOP / 14 lbs.

### 7'H x 8'W

Base: 4'H x 8'W; Top: 3'H x 4'W  
Storage Size: 4'H x 8'8"W x 3"D  
#S107DK / 62 lbs.

### Original Equipment Net Replacement Kit

"L" Top - #SN344T / 3 lbs.  
Base - #SN350DBL / 6 lbs.

### Slip-On Pillow Case Style Replacement Nets


"L" Top - #SPCN344T / 3 lbs.  
Base - #SPCN350 / 5 lbs.

### Complete "L" Top Replacement

#S122TOP / 16 lbs.



Full size 7'H x 6'W



Lower base height for youth players.



Great for seated drills!

## Osborne Versa "L" Pitcher's Screen

- New and improved model is a full 4'H base that still adjusts down to 2'6"H for seated soft toss and youth players.
- Now includes four pre-drilled pinhole locations with lock pins spaced every three inches instead of one pinhole.
- Deluxe double netting.
- "L" top removes, and legs telescope and swivel under, creating a flat compact screen. This allows for easy transport through doors and minimal storage needs.



### 7'H x 6'W

Base: 4'H x 6'W; Top: 3'H x 3'3"W  
Storage Size: 2'6"H x 6'8"W x 3"D (Base)  
#S130DK / 54 lbs.

### Original Equipment Net Replacement Kit

"L" Top - #SN343T / 3 lbs.  
Base - #SN356DBL / 5 lbs.

### Slip-On Pillow Case Style Replacement Nets

"L" Top - #SPCN343T / 3 lbs.  
Base - #SPCN356 / 4 lbs.

### Complete "L" Top Replacement

#S121TOP / 14 lbs.

Adjustable base enables the screen to be used from a seated position during soft toss/short toss drills, allows the cut-out height to be lowered for youth players, and provides improved portability.

Pre-drilled pinhole locations take the guesswork out of adjusting the height and prevents the height from moving during use.



Flips left to right in seconds. No tools required!



# Softball Pitching Screen



**Osborne**



## Osborne Softball Pitching Screen w/ Side Cutout

- Deluxe double netting.
- Frame collapses down, and legs telescope and swivel under, creating a flat compact screen. This allows for easy transport through doors and minimal storage needs.

**7'H x 6'6"W**

Storage Size: 4'H x 7'2"W x 3"D

#SB103SD / 50 lbs.

### Original Equipment Net Replacement Kit

#SN330SDBL / 8 lbs.

### Slip-On Pillow Case Style Replacement Net

#SPCN330S / 7 lbs.

**ACCESSORIES** (see page 35 for details)



# Total Protection Screen



The cutout hole size and location is customized to your specification.



Shown with optional Brace Kit & Side Hole Covers.

## Osborne Total Protection Screen

- Deluxe double netting on center panel only.
- Wings fold flat and roof detaches for compact transport and storage.
- Cutout hole size and location is customized to the user's needs.
- Includes roof panel and port hole cover.
- 2-in-1 screen - Remove the roof and attach the hole cover to convert from a total protection into a tri-fold.
- New brace kit props the back of the roof up, providing more clearance height during live pitching. This allows the pitcher to do complete arm rotations and stay closer to the screen where they are more protected. Specially designed hole covers are available to enclose the openings on each side made by propping the roof up.

**7'H x 6'W x 3'D**

Main Panel: 7'H x 6'W

Wing Panels: 7'H x 2'10"W

Roof: 6'5"W x 2'10"D

Storage Size: 7'H x 6'W x 4"D

#S124DCK / 96 lbs.



### Brace Kit To Prop Up Roof

These are the braces that prop up the roof higher.

#AS124BR / 3 lbs.

### Side Hole Covers For Propped Roof

These are nets that cover the side holes when utilizing the Brace Kit.

#AS124HC / 2 lbs.

### Original Equipment Net Replacement Kit

5 Pc. Set. Port hole not included.

#SN363DC / 16 lbs.



Optional Brace Kit to Prop Up Roof.



Optional Brace Kit & Side Hole Covers.

# Porta Front Toss Screens



Shown in full height standing position with top set for traditional pitcher's protection.



Shown in lowered sitting position with top tilted back to act as a "roof" for head protection.



## Osborne

### Osborne Porta Front Toss "L" Screens

- Deluxe double netting.
- "L" top removes, and legs telescope and swivel under, creating a flat compact screen. This allows for easy transport through doors and minimal storage needs.
- Multi-adjustable "L" top roof slides/tilts for increased protection.
- S117XL model has a 9" wider base than the S117, matching the width of the S111XL, SB113XL, and Porta Screen Series.



Knocks down for transport and compact storage. No tools!

**7'3"H x 3'5"W**  
 Base: 3'-4'9"H x 3'5"W; Top: 2'6"H x 2'6"W  
 Storage Size: 3'H x 4'1"W x 5"D  
**#S117K / 51 lbs.**

**Original Equipment Net Replacement Kit**  
**"L" Top - #SN353T / 1 lb.**  
**Base - #SN352 / 4 lbs.**

**Slip-On Pillow Case Style Replacement Nets**  
**"L" Top - #SPCN353T / 2 lbs.**  
**Base - #SPCN352 / 4 lbs.**

**Complete "L" Top Replacement**  
**#S117TOP / 12 lbs.**

**7'3"H x 4'2"W**  
 Base: 3'-4'9"H x 4'2"W; Top: 2'6"H x 2'6"W  
 Storage Size: 3'H x 4'10"W x 5"D  
**#S117XLK / 54 lbs.**

**Original Equipment Net Replacement Kit**  
**"L" Top - #SN353T / 1 lb.**  
**Base - #SN354 / 5 lbs.**

**Slip-On Pillow Case Style Replacement Nets**  
**"L" Top - #SPCN353T / 2 lbs.**  
**Base - #SPCN354 / 4 lbs.**

**Complete "L" Top Replacement**  
**#S117TOP / 12 lbs.**

### Osborne Porta Front Toss Protective & Softball Screens

- Deluxe double netting.
- Frame collapses down, and legs telescope and swivel under, creating a flat compact screen. This allows for easy transport through doors and minimal storage needs.
- Available with solid netting for use as a personal protective screen or for side toss.
- Available with a side cutout for use as a personal softball pitching screen.
- Same width as Porta Screen Series but taller and more stable.

**Protective - 7'H x 4'2"W**  
 Storage Size: 4'H x 4'10"W x 5"D  
**#S111XL / 44 lbs.**

**Original Equipment Net Replacement Kit**  
**#SN348 / 6 lbs.**

**Slip-On Pillow Case Style Replacement Net**  
**#SPCN348 / 6 lbs.**


**Softball - 7'H x 4'2"W**  
 Storage Size: 4'H x 4'10"W x 5"D  
**#SB113XL / 44 lbs.**

**Original Equipment Net Replacement Kit**  
**#SN333 / 6 lbs.**

**Slip-On Pillow Case Style Replacement Net**  
**#SPCN333 / 6 lbs.**



## Osborne




**ACCESSORIES** (see page 35 for details)



Knocks down for transport & compact storage. No tools!



**Osborne**



Take a seat during front toss drills.



Great for pitcher protection.

## Osborne "Original" Porta Screens

- Deluxe double netting.
- Knocks down for transport and compact storage.
- Swivel legs feature built-in side pole holders.
- Available with solid netting for use as a personal protective screen or for side toss.
- Available with a side cutout for use as a personal softball pitching screen.
- Great for use while sitting or standing.
- Very popular with colleges, professional organizations and travel teams who travel a lot with their own screens.

### Protective - 6'2"H x 4'2"W

Storage Size: 2'5"H x 4'2"W x 3"D  
#S115 / 37 lbs.

### Slip-On Pillow Case Style Replacement Net

Designed with bungee ball clips instead of lacing twine to allow the pillow case net to be easily removed, allowing the entire screen to be disassembled for transport in minutes.  
#SPCN315 / 5 lbs.

### Softball - 6'2"H x 4'2"W


Storage Size: 2'5"H x 4'2"W x 3"D  
#SB116 / 37 lbs.

### Slip-On Pillow Case Style Replacement Net


Designed with bungee ball clips instead of lacing twine to allow the pillow case net to be easily removed, allowing the entire screen to be disassembled for transport in minutes.  
#SPCN316 / 5 lbs.

## New Frame Design


This is a comparison of the old frame vs. the new frame. The old model is on the left, while the new model is on the right. (A) New frame design features seamless joints with fewer parts, providing more rigidity and long-term durability. (B) Side poles have been shortened to not stick out when placed in storage holders and fit properly in optional tote bag.



## ACCESSORIES (see page 15 for details)



The perfect catch net for soft toss and tee drills.



Built-in Strike Zone promotes aim.



Second layer of netting acts as a baffle to deaden the ball.



## Osborne "Original" Porta EZ Sock Screen

- Single net border with double net sock.
- Second layer of netting on back of the sock acts as a baffle to deaden the ball, preventing "pop-back" and improving ball capture.
- Knocks down for transport & compact storage.
- Swivel legs feature built-in side pole holders.
- Detachable strike zone indicator promotes focus and aim during pitching practice.

### 6'2"H x 4'2"W

Storage Size: 2'5"H x 4'2"W x 3"D  
#S110 / 39 lbs.

### Slip-On Pillow Case Style Replacement Net

Designed with bungee ball clips instead of lacing twine to allow the pillow case net to be easily removed, allowing the entire screen to be disassembled for transport in minutes.  
#SPCN310 / 8 lbs.

## ACCESSORIES (see page 35 for details)



**Osborne**



**Osborne**



Shown with strike zone indicator connected during pitching practice.



While hitting soft toss, detach the strike zone indicator.

**The Original Osborne Porta-Sock™ Screens**

- Single net border with double net sock.
- Second layer of netting on the back of the sock acts as a baffle to deaden the ball, preventing "pop-back" and improving ball capture.
- Frame collapses down, and legs telescope and swivel under, creating a flat compact screen. This allows for easy transport through doors and minimal storage needs.
- Newly redesigned detachable strike zone indicator promotes focus and aim during pitching practice.

**ACCESSORIES** (see page 35 for details)



(S105 only)

**7'H x 6'6"W**

Storage Size: 4'H x 7'2"W x 3"D

Sock Size: 4'10"H x 4'6"W

#S105 / 52 lbs.

**Original Equipment Net Replacement Kit**

#SN321 / 10 lbs.

**Slip-On Pillow Case Style Replacement Net**

#SPCN321/ 10 lbs.

**8'H x 8'W**

Storage Size: 5'H x 8'8"W x 3"D

Sock Size: 6'H x 6"W

#S105XXL / 61 lbs.

**Original Equipment Net Replacement Kit**

#SN322 / 11 lbs.

**Slip-On Pillow Case Style Replacement Net**

#SPCN322/ 10 lbs.



Second layer of netting acts as a baffle to deaden the ball.



Socks are double tied every mesh for maximum durability.

**Osborne Full Frame Big-Sock Screen**


- The entire inside of the frame is a sock with a second layer of netting on the back that acts as a baffle to deaden the ball, preventing "pop-back" and improving ball capture.
- Frame collapses down, and legs telescope and swivel under, creating a flat compact screen. This allows for easy transport through doors and minimal storage needs.
- Sock is divided into upper and lower ball capture regions.
- Two adjustable vertical ropes create up to six target zones for advanced hitting drills and to promote focus and aim during pitching practice.

**8'H x 8'W**

Storage Size: 5'H x 8'8"W x 3"D

#S135 / 66 lbs.

**ACCESSORIES** (see page 35 for details)




**Osborne**

Dual sock zones.



Second layer of netting acts as a baffle to deaden the ball.



Screen breaks down for easy and compact storage.



## Osborne Protective Screens

- 7' and 8' height Screens available only with single netting.
- 10' Screen available with single or deluxe double netting.
- Frame collapses down, and legs telescope and swivel under, creating a flat compact screen. This allows for easy transport through doors and minimal storage needs.
- Optional wheel kit available.

### 7'H x 6'6"W

Storage Size: 4'H x 7'2"W x 3"D  
**#S101** / 47 lbs.

### Original Equipment Net Replacement Kit

**#SN345** / 5 lbs.

### Slip-On Pillow Case Style Replacement Net

**#SPCN345** / 7 lbs.

### ACCESSORIES (see page 35 for details)



### 8'H x 8'W

Storage Size: 5'H x 8'8"W x 3"D  
**#S108** / 53 lbs.

### Original Equipment Net Replacement Kit

**#SN349** / 6 lbs.

### Slip-On Pillow Case Style Replacement Net

**#SPCN349** / 10 lbs.

### 10'H x 10'W

Storage Size: 5'10"H x 10'8"W x 3"D  
**Single Net - #S119** / 68 lbs.  
**Double Net - #S119D** / 76 lbs.

### Original Equipment Net Replacement Kits

**Single Net - #SN347** / 9 lbs.

**Double Net - #SN347DBL** / 16 lbs.

### Slip-On Pillow Case Style Replacement Net

**#SPCN347** / 14 lbs.



Knocks down for storage. Legs swivel, fold under the screen, and the extensions slide in.



## Osborne Tri-Fold Protective Screen

- Deluxe double netting on center panel.
- Hinged wings adjust to nearly any angle and fold flat for transport and storage.
- Provides a large area of protection for a number of applications.
- Optional wheel kit available.

### 7'H x 12'W

Main Panel: 7'H x 6'W  
 Wing Panels: 7'H x 2'10"W  
 Storage Size: 7'H x 6'W x 4"D  
**#S137DC** / 78 lbs.

### Pneumatic Wheel Kit

**#ASWTRIP** / 13 lbs.

### Original Equipment Net Replacement Kit

Hinged wings are single netting while the center panel is double netting. Set comes as a 4 pc. set.

**#SN361DC** / 8 lbs.



Optional Wheel Kit makes for easy transport on and off the field.



Wings fold for transport. Shown with optional Wheel Kit.

# PRO-GOLD

Series II Protective Screens

#36 Net

#60 Net




Our new and improved line of Pro-Gold screens, the Pro-Gold Series II, features more models, an improved frame, and deluxe pneumatic wheeled versions. This year we have added the Guardian Series that adds a built-in extended overhead guard to the 'L' portion of our Standard-L and Mini-L screens. The frames are made with heavy-gauge round 1.66" Allied Flo-coat® galvanized steel tubing, which is 2 gauges thicker than our original line and a larger diameter. Screens come with two leg options: standard and wheeled. Standard legs on the mini screens feature a 54" leg w/brace on one side and a shortened 24" leg on the pitching side to minimize tripping. Standard legs on the regular screens feature a 54" leg w/brace on both sides. Both wheeled versions feature a premium 10" pneumatic wheel along with extra bracing for added support, and have a shortened 24" leg on the opposite side. The mini screens have a 42" wheel base compared to the 54" wheel base of the regular screens. We kept the same pro quality dual layer netting constructed from #36 or #60 weather-treated knotted nylon sewn into a pillow case style slip-on net for double protection. All netting seams feature a super duty 1/2" hi-vis yellow cord for maximum strength. Lacing cord included to close up the bottom of the net.



## Pro-Gold II Pitcher's L-Shaped Screen (7' x 7' w/ 3' cutout)

- #36 Net - #04666K / 52 lbs.
- #36 Net w/ Wheels - #04667K / 62 lbs.
- #36 Net Only - #04653N36 / 4 lbs.
- #60 Net - #04668K / 55 lbs.
- #60 Net w/ Wheels - #04669K / 65 lbs.
- #60 Net Only - #04653N60 / 7 lbs.



## Pro-Gold II Mini L-Shaped Screen (7' x 4' w/ 9" cutout)

- #36 Net - #04672K / 42 lbs.
- #36 Net w/ Wheels - #04673K / 51 lbs.
- #36 Net Only - #04655N36 / 4 lbs.
- #60 Net - #04674K / 44 lbs.
- #60 Net w/ Wheels - #04675K / 53 lbs.
- #60 Net Only - #04655N60 / 6 lbs.

## Pro-Gold II Mini Square Screen (7' x 4')

- #36 Net - #04670K / 42 lbs.
- #36 Net w/ Wheels - #04671K / 51 lbs.
- #36 Net Only - #04654N36 / 4 lbs.



**Pro-Gold II**  
**Softball Screen w/ Cutout (7' x 7')**  
 Cutout hole size is 28" x 28".



- #36 Net - #04664K / 54 lbs.
- #36 Net w/ Wheels - #04665K / 64 lbs.
- #36 Net Only (Fits both Pro-Gold Series I and II.)
- #04652N36 / 5 lbs.



**Pro-Gold II**  
**Square Screen w/ Sock (7' x 7')**  
 Sock size is 4' x 4'.



- #36 Net - #04662K / 59 lbs.
- #36 Net w/ Wheels - #04663K / 69 lbs.
- #36 Net Only (Fits both Pro-Gold Series I and II.)
- #04651N36 / 9 lbs.



**Pro-Gold II**  
**Square Screen (7' x 7')**



- #36 Net - #04658K / 54 lbs.
- #36 Net w/ Wheels - #04659K / 64 lbs.
- #36 Net Only (Fits both Pro-Gold Series I and II.)
- #04650N36 / 5 lbs.
- #60 Net - #04660K / 58 lbs.
- #60 Net w/ Wheels - #04661K / 68 lbs.
- #60 Net Only (Fits both Pro-Gold Series I and II.)
- #04650N60 / 9 lbs.



**Pro-Gold II**  
**Tri-Fold Protective Screen (8' x 16')**



- #36 Net - #04678K / 112 lbs.
- #36 Net Only - #04657N36 / 15 lbs.
- Optional Wheel Kit - #04679 / 13 lbs.

**Replacement Nets for Pro-Gold Series I Protective Screens**

These are Replacement Nets for the original series of Pro-Gold nets.



**L-Screen**  
**#36 Replacement Net**  
**#01721 / 5 lbs.**

**L-Screen**  
**#60 Replacement Net**  
**#02809 / 7 lbs.**



**8'H x 10'W**  
**Square Screen**  
**#36 Replacement Net**  
**#01725 / 8 lbs.**

# PRO-GOLD

GUARDIAN SERIES Protective Screens



Our newest addition to the Pro-Gold II Series, the Guardian Series, adds a built-in extended overhead guard to the 'L' portion of our Standard-L and Mini-L screens. The extended overhead section provides an additional 3' in length at a 45° angle. The height at the highest point is 8'8". Available with both standard and wheeled leg options. The Guardian Series exclusively features #60 weather-treated knotted nylon netting sewn into a pillow case style slip-on net for double protection and maximum durability in a cage setting. All netting seams feature a super duty 1/2" cord for maximum strength. Lacing cord included to close up the bottom of the net. See details below on how to convert your existing standard Mini-L or L into a Guardian screen.



**Pro-Gold II Guardian Pitcher's L-Shaped Screen** (7' x 7' w/ 3' cutout)  
 #60 Net - #05000K / 62 lbs.  
 #60 Net w/ Wheels - #05001K / 72 lbs.  
 #60 Net Only - #04952N60 / 8 lbs.



**Pro-Gold II Guardian Mini L-Shaped Screen** (7' x 4' w/ 9" cutout)  
 #60 Net - #05002K / 51 lbs.  
 #60 Net w/ Wheels - #05003K / 60 lbs.  
 #60 Net Only - #04953N60 / 7 lbs.

Convert your current Pro-Gold Series II L-Screen to a Guardian Screen with this Extension Arm Kit!



## Pro-Gold II Guardian Extension Arm Kit



This kit allows you to convert your existing standard Mini-L or L frame into a Guardian frame. The process is easy: remove the top hoop section of the frame, add the two new arms, and reattach the top hoop. Then, replace your old net with a new Guardian replacement net. Extension Arm Kit includes two arm pipes with hardware. The complete conversion process requires purchase of both the Extension Arm Kit and a Guardian Replacement Net. #04999 / 6 lbs.

# PRO-GOLD

## Aluminum Series Protective Screens



We are excited to offer our new Aluminum Series to the Pro-Gold family. These professional quality frames are made from 1.9" Sch. 40 aluminum pipe. The frames are all aluminum and feature fully welded brace mounts and fully welded axle and leg supports. The four support braces are made from galvanized steel tubing for extra durability. All four models feature deluxe pneumatic wheels attached to an all aluminum axle. The wheel base is 50" wide on the Mini-L and 60" wide on the other three models. The front leg, which is 28" long on the Mini-L and 43" long on the other three models, is capped with premium Sch. 80 PVC caps. The Aluminum Series exclusively features #60 weather-treated knotted nylon netting sewn into a pillow case style slip-on net for double protection and maximum durability. All netting seams feature a super duty 1/2" cord for maximum strength. Lacing cord included to close up the bottom of the net.



**Pro-Gold Aluminum Series**  
**Pitcher's L-Shaped Screen** (8' x 8' w/ 4' cutout)  
 #60 Net - #05019 / 67 lbs.  
 #60 Net Only - #05023 / 10 lbs.



**Pro-Gold Aluminum Series**  
**Square Screen** (8' x 8')  
 #60 Net - #05020 / 70 lbs.  
 #60 Net Only - #05024 / 13 lbs.



**Pro-Gold Aluminum Series**  
**Mini L-Shaped Screen** (7' x 4' w/ 9" cutout)  
 #60 Net - #05018 / 51 lbs.  
 #60 Net Only - #05022 / 6 lbs.



**Pro-Gold Aluminum Series**  
**Giant Square Screen** (10' x 10')  
 #60 Net - #05021 / 85 lbs.  
 #60 Net Only - #05025 / 20 lbs.



## Pro-Gold Rebounder

This sturdy multi-position rebounder is perfect for baseball or softball practice. Rebounder adjusts in 5° increments up to 45° in either direction, simulating ground balls, line drives, and pop flies, by adjusting the angle. The complete frame and legs are made with 16-gauge round 1.66" Allied Flo-coat® galvanized steel tubing. The internal frame is 7'H x 7'W and the legs provide a 60" wide overall base on each side. Four galvanized steel braces on each side add additional frame support. The knotless net provides consistent springback direction compared to typical knotted netting and is just over 6'H x 6'W. Rebounder can be used from either side.

#04852 / 82 lbs.

### Replacement Net & Bungee

#04853 / 4 lbs.




## Universal Protective Screen Wheel Kit

Don't muscle your screens to the field. Simply roll them out! Designed to fit protective screens with up to 2" dia. round or square tubing. Extra heavy-duty steel construction features large turf-type wheels and dual clamps for secure attachment. Does not work with Osborne Screens.

#01727 / 12 lbs.





**A Osborne Back Saver Ball Bin**  
 Perfect height for both live pitching practice and seated soft toss. Functional design allows the bin to be folded, trapping the balls during transport, and reducing storage space.

- Easily holds over 100 baseballs or 50 softballs
- Storage size is 48"H x 25"W x 3"D

**#A690 / 19 lbs.**

**B Osborne Bucket Buddy**

- The coach's back saver! Secures a bucket at waist height so you don't have to bend. When the balls run out, simply change out the bucket in seconds.
- Accommodates any bucket
- Extremely portable
- HD steel construction with non-marring feet for gym floors
- Bucket not included

**#A670 / 12 lbs.**

**C Osborne Deluxe Back Saver Ball Caddy**  
 This deluxe, large capacity caddy is a real back saver! Transport enough balls for the most extended practice! The dolly-style design tips back, rolls easily on the 10" diameter pneumatic tires, and features a convenient "handle bar" design for a comfortable grip.

- Constructed from heavy wall, 1 3/8" dia., Flo-coat® galvanized steel tubing to eliminate rust and corrosion
- Pneumatic wheels roll easily over uneven turf and wet infield clay
- Ball basket is constructed with premium Osborne #72 braided nylon netting for years of trouble-free use
- Holds 300 baseballs; 150 softballs
- Stands 45" tall with a 29" wide wheelbase
- Extends forward 24"

**#A695 / 36 lbs.**

**D Osborne Poly Tough Tees**  
 The Osborne Poly Tough Tees offer an unmatched combination of quality, durability, and value. These super tough professional grade tees are among the most durable batting tees made! Constructed from heavy-duty solid polyurethane and feature a 10-year warranty. Tee stems adjust from 22" to 38" and stay in place when hit. Compare the features and pricing and see why these are the best value in the country! Made in the USA!

**Professional Series**  
 Feature our standard base thickness and the heavy wall top stem are a hollow tube design. The Single Position Tee includes a steel plate molded into the base for added weight to prevent tipping.

**Single Position Tee With 1 Stem**  
**#T206-1P / 11 lbs.**

**5-Position With 2 Stems**  
**#T206-5P / 13 lbs.**

**Lifetime Series**  
 Features our heaviest and thickest base and the top stem is constructed from solid polyurethane, making this tee nearly indestructible. Provides a "lifetime" of use! You'll retire before this tee fails!

**Pro Hexagon Single Position With 1 Stem**  
**#T206-PRO / 14 lbs.**

**E Heavy-Duty Rubber Batting Tee**  
 Official size home plate base. Durable steel tube insert with a large steel plate embedded in the base for enhanced durability. Height adjusts from 21" - 36". Breaks down for transport.

**#01217 / 13 lbs.**

**Replacement Top Extension Tube**  
**#01736 / 2 lbs.**

**F Osborne Bucket Tee**  
 Now features a new and improved universal baseball/softball "Elite" Tee Top for maximum durability. The Bucket Tee is one of the most popular batting tees ever created! The fully self-contained hitting station includes a padded "seat" style lid, allowing all the stems and several dozen balls to be sealed with a lid for transport. When you are done with tee drills, use it as a soft toss seat. Height adjusts from 25" to 40". Extra heavy-duty construction features a heavyweight steel plate on the bottom to prevent tipping, and a galvanized steel tubing stem.

**#T204 / 12 lbs.**

**Replacement Elite Tee Top Section**  
**Standard - #T203P-ST / 2 lbs.**  
**Extended - #T203P-XT / 2 lbs.**

